

S K I C A T A L O G 2 0 1 9 - 2 0

Always Good Times



elan

www.elanjapan.co.jp





WE BUILD SKIS

1945年に最初の木製スキーを製作して以来、エランのコレクションは毎年新たな機能が加わり進化し常にスキー界の方向性を決定づけてきました。

1990年にスキーの概念自体を変えたカービングスキーの開発、2006年には高いねじれ剛性とソフトフレックスを両立させたウェイブフレックスでの特許取得。そして2011年にはエラン独自の開発力と過去の特許技術を集大成した左右非対称の画期的な構造「アンフィビオテクノロジー」を発表、世界中のスキーヤーの技術上達に多大な貢献をもたらしました。

2015年にはアンフィビオスキーが更に進化を遂げたアンフィビオ4Dをリリース、2016年は超軽量でありながらBCフリーライドにおいて驚異的な対応力を持つアンフィビオTNTテクノロジーが世界中で最高の評価を得ました。

このように全てのスキーヤーが雪山で感動のシーンを綴り続けるためにプロデュースされるエランスキーは、その全てがスロベニア・アルプスの麓に位置するベグニエ本社工場で生産されています。

私たちエランは、スキーを愛する人々がこれからも最高のスキーシーンを楽しむことを心より願いながら、これからもスキーを創り続けます。

RACE PRECISION

ALL MOUNTAIN BLACK EDITION

													
SALES CODE	AABFDG19	AABFDH19	AAEFDK19	AACFDM19, AACFDR19	AAFFDP19, AAFFDT19	AABFEJ19	AAJFEK19, AABFEL19 (Plate)	AAKEYG19, AAEFEM19 (Plate)	AALFAD19	ABHEXD19	ADAFJN19	ADDEFB18	ACCJ19
PROFILE				Early Rise Rocker	Early Rise Rocker	Arrow Rocker	Arrow Rocker	Arrow Rocker	Arrow Rocker	Amphibio	Amphibio	Amphibio	Amphibio
TECHNOLOGY	RST Sidewall, Response Frame Woodcore, Dual Ti	RST Sidewall, Response Frame Woodcore, Dual Ti	RST Sidewall, Response Frame Woodcore, Dual Ti	RST sidewall, Response Frame, Woodcore, Fibreglass (134, 142, 150), Dual Ti (158, 166, 176, 182)	RST sidewall, Response Frame, Woodcore, Dual Ti, Fibreglass*	Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base	Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base	Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base	Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base	TruLine Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Carbon	TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Carbon	TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Carbon	TruLine Technology, RST Sidewall, Laminated Woodcore, Mono Ti
GEOMETRY	FIS approved	FIS approved	FIS approved	FIS approved	FIS approved	110/69/94	110/69/94	121/68/104	121/68/104	121/73/104	140/106/122	134/96/113	121/73/104
LENGTH RADIUS	188(≥30), 193(≥30)	185(≥25), 191(≥27)	157(≥11.5), 165(≥12.6)	134(≥13.0)*, 142(≥15.0)*, 150(≥15.0)*, 158(≥17.0)*, 166(≥17.5), 171(≥20.5), 178(≥23), 182(≥25)	133(≥10.5)*, 139(≥10.5)*, 145(≥11.0), 151(≥11.5)	175(19.0), 180(21.2), 182(23.9)*, 185(25.1)*	170(17.4), 175(19.0), 180(21.2)	155(11.0), 160(12.0), 165(12.8), 170(13.5)	155(11.2), 160(12.2), 165(12.8), 170(13.5)	160(13.3), 166(14.5), 172(15.7), 178(17.0)	167(15.8), 174(17.0), 181(18.1), 188(20.4)	167(14.9), 174(16.2), 181(18.0), 188(19.5)	146(11.3), 152(12.2), 158(13.3), 164(14.5), 170(15.7)
WEIGHT											1799g +/- 50g (181)	1550g +/- 50g (181)	
SYSTEM PLATE	Flat / RACEPLATE WCR 14	Flat / RACEPLATE WCR 14	Flat / RACEPLATE WCR 14	EP 11.5 DUO*	EP 11.5 DUO, EP 11 X*	Raceplate Evo 14 + Arrow Carbon Plate / Raceplate WCR 14*	Fusion X + Arrow Carbon Plate /	Fusion X + Arrow Carbon Plate /	Fusion X / Arrow Plate	Fusion X + Carbon Plate	Flat	Flat	Power Shift
BINDING	ER 17.0 FREEFLEX EVO BRAKE 85 ER 14.0 FREEFLEX EVO BRAKE 85	ER 17.0 FREEFLEX EVO BRAKE 85 ER 14.0 FREEFLEX EVO BRAKE 85	ER 17.0 FREEFLEX EVO BRAKE 85 ER 14.0 FREEFLEX EVO BRAKE 85	ER 14.0 FF EVO BLK_FGRN, ER 11.0 FF EVO BLK_FGRN*	ER 14.0 FF EVO BLK_FGRN, ER 11.0 FF EVO BLK_FGRN*	ER 17.0 FREEFLEX EVO ER 14.0 FREEFLEX EVO	EMX 12.0 GW Fusion X BLK/GRN	EMX 12.0 GW Fusion X BLK/GRN	EMX 11.0 GW Fusion X BLK/GRN	EMX 12.0 GW Fusion X BLK/MET			BINDING_ELX 11.0 SHIFT GW BLK
PAGE	P-10	P-10	P-10	P-10	P-10	P-11	P-11	P-11	P-11	P-12	P-13	P-13	P-13

ADVENTURE IBEX

ELEMENT

ALL MOUNTAIN

														
SALES CODE	ADJEU19	ADKEUD19	ADJEUM19	ADMEUN19	ADNEYB19	ADOEUP19	ABMEVL19	ABMBFB19	ABMEVM19	ABPFFV19	ABPFFW19	AG4CDS16	ACCCEY19	ACDFAE19
PROFILE	Mountain Rocker	Mountain Rocker	Mountain Rocker	Mountain Rocker	Mountain Rocker	Mountain Rocker	Parabolic Rocker	Parabolic Rocker	Parabolic Rocker	Parabolic Rocker	Parabolic Rocker	Conventional	Amphibio	Amphibio
TECHNOLOGY	Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CVA Plate, Carbon Power Shell	Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CVA Plate, Fibreglass	Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CVA Plate, Carbon Power Shell	Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CVA Plate, Fibreglass	Bridge Technology, Laminated Woodcore, Vapor Inserts, CVA Plate, Fibreglass	Bridge Technology, Laminated Woodcore, Vapor Inserts, CVA Plate, Fibreglass	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	Groove Technology, Power Shell, Dual Woodcore, Fibreglass	Dynaflex Technology, Full Power Cap, Mono Woodcore, Fibreglass	Dynaflex Technology, Full Power Cap, Mono Woodcore, Fibreglass	Full Power Cap, Synflex core, twin tip	TruLine Technology, RST sidewall, Laminated Woodcore, Mono Ti	TruLine Technology, RST sidewall, PowerShell, Power Woodcore, Mono Ti
GEOMETRY	130/94/111	130/94/111	120/84/105	120/84/105	120/84/105	114/78/100	127/76/102	127/76/102	127/76/102	114/71/103	114/71/103	111/82/100*, 115/78/105	121/73/104	125/76/107
LENGTH RADIUS	163(18.9), 170(20.1), 177(21.2), 184(22.7)	163(18.9), 170(20.1), 177(21.2), 184(22.7)	149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)	149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)	149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9)	138(9.5), 144(10.5), 152(11.9), 160(13.4), 168(15.0)	138(9.5), 144(10.5), 152(11.9), 160(13.4), 168(15.0)	99 (7.7)*, 125 (8.5), 135 (10.3)	146(11.3), 152(12.2), 158(13.3), 164(14.5), 170(15.7)	152(11.6), 158(13.1), 166(14.6)
WEIGHT	1360g +/- 50g (170)	1390g +/- 50g (170)	1210g +/- 50g (170)	1270g +/- 50g (170)	1400g +/- 50g (170)	1330g +/- 50g (170)								
SYSTEM PLATE	Flat	Flat	Flat	Flat	Flat	Flat	Light Shift	Light Shift	Light Shift	Light Shift	Light Shift	Quick Shift	Power Shift	Power Shift
BINDING							EL 10.0 SHIFT GW BLK/GRN	EL 10.0 SHIFT GW BLK/GRN	EL 10.0 SHIFT GW BLK/ORG	EL 9.0 GW SHIFT	EL 9.0 GW SHIFT	EL 10.0 SHIFT WB 90 / GW BLK/SMOK	ELW 11.0 SHIFT GW BLK_BLUE BBS	ELW 10.0 GW SHIFT BLK/PNK
PAGE	P-23	P-23	P-23	P-23	P-23	P-23	P-24	P-24	P-24	P-25	P-25	P-25	P-27	P-27

ALL MOUNTAIN AMPHIBIO					ALL MOUNTAIN WINGMAN					FREERIDE RIPSTICK			
													
AMPHIBIO 18 Ti2 Fusion X	AMPHIBIO 16 Ti Fusion X	AMPHIBIO 14 Ti Fusion X	AMPHIBIO 12 C Power Shift	AMPHIBIO 10 Ti Power Shift	WINGMAN 86 CTi Fusion X/Flat	WINGMAN 82 CTi Fusion X/Flat	WINGMAN 82 Ti Power Shift/Flat	WINGMAN 78 Ti Power Shift	WINGMAN 78 C Power Shift	RIPSTICK 116	RIPSTICK 106	RIPSTICK 96	RIPSTICK 88
ABHEUE19	ABIEUH19	ABJFEV19	ABKFFE19	ABLFJM19	ABAEVU19, ABAEVX19 (Flat)	ABBEWA19, ABBEWD19 (Flat)	ABFEWG19, ABFEWK19 (Flat)	ABGFHW19	ABGLB19	ADDDXF18	ADDDXL18	AD1DXG18	ADGEUJ19
Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio
TruLine Technology, RST Sidewall, Laminated Woodcore, Dual Ti, NanoTech running base	TruLine Technology, RST Sidewall, Laminated Woodcore, Mono Ti, NanoTech running base	TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Mono Ti	TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Carbon	TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Carbon	TruLine Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, Mono Ti	TruLine Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, Mono Ti	TruLine Technology, SST Sidewall, Laminated Woodcore, Mono Ti	TruLine Technology, SST Sidewall, PowerShell, Power Woodcore, Mono Ti	TruLine Technology, SST Sidewall, PowerShell, Power Woodcore, Carbon	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fibreglass
121/73/104	121/73/104	125/76/104	125/76/104	125/76/104	130/86/115	129/82/112	129/82/112	125/78/104	125/78/104	143/116/132	140/106/122	134/96/113	130/88/105
160(13.3), 166(14.5), 172(15.7), 178(17.0)	160(13.3), 166(14.5), 172(15.7), 178(17.0)	152(11.6), 160(13.0), 168(14.6), 176(16.2)	152(11.6), 160(13.0), 168(14.6), 176(16.2)	152(11.6), 160(13.0), 168(14.6), 176(16.2)	160(13.8), 166(14.7), 172(15.6), 178(16.5), 184(17.4)	160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7)	160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7)	152(11.6), 160(13.0), 168(14.6), 176(16.2)	152(11.6), 160(13.0), 168(14.6), 176(16.2)	185(20.3), 193(22.9)	167(15.8), 174(17.0), 181(18.1), 188(20.4)	167(14.9), 174(16.2), 181(18.0), 188(19.5)	151(13.0), 158(13.7), 165(14.2), 172(15.4), 179(17.0), 186(18.9)
Fusion X	Fusion X	Fusion X	Power Shift	Power Shift	Fusion X / Flat	Fusion X / Flat	Power Shift / Flat	Power Shift	Power Shift	Flat	Flat	Flat	Flat
EMX 12.0 GW Fusion X BLK/GRN	EMX 12.0 GW Fusion X BLK/ORG	EMX 11.0 GW Fusion X BLK/ORG	ELS 11.0 SHIFT GW BLACK	EL 10.0 SHIFT GW BLACK	EMX 12.0 GW Fusion X BLK/GRN	EMX 12.0 GW Fusion X BLK/ORG	ELX 11.0 GW SHIFT BLK/ORG	ELS 11.0 SHIFT GW BLACK	EL 10.0 SHIFT GW BLK/GRN	1900g +/-50g (185)	weight: 1830g +/-50g (181)	1610g +/-50g (181)	1830g +/-50g (181)
P-17	P-17	P-17	P-17	P-17	P-19	P-19	P-19	P-19	P-19	P-21	P-21	P-21	P-21


ALL MOUNTAIN KIDS															
NEW MODEL  DELIGHT PRIME BLACK Light Shift  DELIGHT PRIME WHITE Light Shift  ELEMENT WHITE Light Shift  ELEMENT BLACK BLUE Light Shift  ZEST BLUE Light Shift  SNOW Light Shift  RIPSTICK 102 W  RIPSTICK 94 W  RIPSTICK 88 W  IBEX 84W CARBON 											NEW MODEL  MAXX BLK RED Quick Shift  SKY Quick Shift  PINBALL CAMO Quick Shift  LIL SNOW Quick Shift 				
IMAGINE Power Shift	DELIGHT PRIME BLACK Light Shift	DELIGHT PRIME WHITE Light Shift	ELEMENT WHITE Light Shift	ELEMENT BLACK BLUE Light Shift	ZEST BLUE Light Shift	SNOW Light Shift	RIPSTICK 102 W	RIPSTICK 94 W	RIPSTICK 88 W	IBEX 84W CARBON	RC RACE Shift	MAXX BLK RED Quick Shift	SKY Quick Shift	PINBALL CAMO Quick Shift	LIL SNOW Quick Shift
ACEFKK19	ACGFBU19	ACGFJF19	ABMEVN19	ABMEVP19	ACJFER19	ACKFES19	ADEDXY18	AD1DYC18	ADGEUX19	ADMFJH19	AF0DZW18	AFDEZJ19	AFFEZG19	AFMFST19	AFMFSS19
Amphibio	EarlyRise Rocker	EarlyRise Rocker	Parabolic Rocker	Parabolic Rocker	Parabolic Rocker	Parabolic Rocker	Amphibio	Amphibio	Amphibio	Mountain Rocker	WaveFlex	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker	EarlyRise Rocker
TruLine Technology, RST sidewall, PowerShell, Power Woodcore, Carbon	SlimShape Technology, PST sidewall, Laminated Woodcore, Mono Ti	SlimShape Technology, PST sidewall, Laminated woodcore, Mono Ti	Parabolic Rocker, Power Shell, Dual Woodcore, Fibreglass	Parabolic Rocker, Power Shell, Dual Woodcore, Fibreglass	Waveflex Technology, Full Power Cap, Dual Woodcore, Fibreglass	Dynaflex Technology, Full Power Cap, MonoLite Woodcore, Fibreglass	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fiberglass	TNT technology, SST sidewall, TubeLite Woodcore, VaporTip, Fiberglass	TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fiberglass	Bridge technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CVA Plate, Fiberglass	Full Power Cap, Dual Woodcore, Fiberglass	U-Flex Technology, Full Power Cap, Synflex, Fiberglass	U-Flex Technology, Full Power Cap, Synflex, Fiberglass	Full Power Cap, Synflex Core, Fiberglass	Full Power Cap, Synflex Core, Fiberglass
125/76/107	126/76/103	126/76/103	127/76/102	127/76/102	125/76/103	114/72/103	143/102/120	135/94/110	130/88/105	120/84/105	114/70.5/99	101/69/90	101/69/90	125/76/103	101/67/91
144(10.2), 152(11.6), 158(13.1), 166(14.6)	146(10.5), 152(11.5), 158(12.6), 164(14.1)	146(10.5), 152(11.5), 158(12.6), 164(14.1)	144(10.6), 152(12.0), 160(13.5), 168(15.2)	144(10.6), 152(12.0), 160(13.5), 168(15.2)	140(10.2), 146(11.3), 152(12.3), 158(13.9)	140(9.5), 146(10.5), 152(11.9), 158(13.4)	156(15.0), 163(15.8), 170(17.0), 177(18.1)	156(14.0), 163(15.0), 170(16.2), 177(18.0)	149(13.0), 156(13.7), 163(14.2), 170(15.4), 177(17.0)	149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)	110(6.2), 120(7.5), 130(8.9), 140(10.3), 150(11.9)	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)	70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)	100(6.1), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)	100(6.1), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1)
1730g +/- 50g (170)							1560g +/- 50g (170)		1460g +/- 50g (166)		1270g +/- 50g (170)				
Power Shift	Light Shift	Light Shift	Light Shift	Light Shift	Light Shift	Light Shift	Flat	Flat	Flat	Flat	SLR2	Quick Shift	Quick Shift	Quick Shift	Quick Shift
ELW 9.0 SHIFT GW BLK	ELW 9.0 GW SHIFT BLK/PNK	ELW 9.0 SHIFT GW BLK/BLUE	ELW 9.0 SHIFT GW BLK/BLUE	ELW 9.0 SHIFT GW BLK/BLUE	ELW 9.0 GW SHIFT WHT	EL 7.5 GW AC SHIFT WHT					EL 4.5 7.5 GW AC SHIFT	EL 4.5 GW AC SHIFT BLK	EL 4.5 GW AC SHIFT WHT	EL 4.5 GW AC SHIFT BLK	EL 4.5 GW AC SHIFT
P-27	P-28	P-28	P-28	P-28	P-28	P-28	P-28	P-29	P-29	P-29	P-29	P-30	P-30	P-30	P-30

FUSION X – THE NEXT GENERATION OF BINDING SYSTEMS

チタナルブリッジで補強され、高速ターンにおける安定性が向上しました。スキーヤーの運動に素早く追従する応答性とスキーフレックスを100%発揮するたわみ特性が新次元のターンフィーリングを提供します。



PYRAMID SHAPE

スキーヤーのエッジング動作に素早く反応。シャープで安定感のあるターンフィーリングを提供します。



VIBRATION ABSORBER

スキーから伝わる余分な振動を吸収・低減します。




LIGHTWEIGHT DESIGN



PERFECT FREE-FLEX

プレートとスキー、メタルブリッジとビンディング、
両方によるダブルフリーフレックスシステムが
完璧なスキーフレックスを引き出します。

・ FUSION SYSTEM ・



ALUMINUM REINFORCEMENT

軽量で強靱なチタナルブリッジがスキーセンター
を補強することで、足元の安定性を高めることに
寄与します。



RACE
PRECISION


ARROW TECHNOLOGY

Power & control
to take charge.

アローテクノロジー、それは綿密に計算されたカッティング形状のチタニウムとキャンバーカーボンプレートのコンビネーションにより、トップスキーヤーが必要とするパワフルでクイックなレスポンスと、乗り手の意思を瞬時に再現する正確で調和のとれた操作性を実現します。新しく生まれ変わったエランレーシングスキーは、ワイドなスイートスポットと雪面を切り裂くようなエッジグリップ、そして胸のすく加速力など、エクササイズの領域を超えた攻めるスキーヤーのための性能が満載です。

ARROWTM
TECHNOLOGY






01

CAMBERED CARBON PLATE

キャンバーカーボンプレートがターン中のパワーを蓄積、ワイドなスイートスポットと推進力の高い「速いターン」につなげる。



02

ARROW TIP


チップ部のアローシェイプチタンが不要なエッジングリップを抑え、優れた安定性とスキーヤーの意思に即応する俊敏な反応を実現。



03

ARROW TAIL

滑らかなアローシェイプチタンが、シャープでありながらスムーズなターンの抜けを生む。



04

RESPONSE FRAME WOODCORE

WCスキーと同じ、しなやかで振動吸収性に優れたレスポンスフレームウッドコアを採用。

・FUSION X SYSTEM・

NEW
MODEL



05

FUSION X SYSTEM

世界で初めて完全なフリーフレックスを完成させたプレートビンディングシステムが更に進化。





GSX WORLD CUP Plate

■BIN/ER17FF ¥155,000(税抜価格) ■BIN/ER14FF ¥145,000(税抜価格)

CODE_ AABFDG19

TECHNOLOGY_ RST Sidewall, Response Frame Woodcore, Dual Ti GEOMETRY_ FIS approved LENGTH RADIUS_ 188(≥30), 193(≥30) SYSTEM/PLATE_ Flat / RACEPLATE WCR 14
BINDING_ ER 17.0 FREEFLEX EVO BRAKE 85, ER 14.0 FREEFLEX EVO BRAKE 85



GSX WORLD CUP X Plate

■BIN/ER17FF ¥155,000(税抜価格) ■BIN/ER14FF ¥145,000(税抜価格)

CODE_ AABFDH19

TECHNOLOGY_ RST Sidewall, Response Frame Woodcore, Dual Ti GEOMETRY_ FIS approved LENGTH RADIUS_ 185(≥25), 191(≥27) SYSTEM/PLATE_ Flat / RACEPLATE WCR 14
BINDING_ ER 17.0 FREEFLEX EVO BRAKE 85, ER 14.0 FREEFLEX EVO BRAKE 85



SLX WORLD CUP Plate

■BIN/ER17FF ¥155,000(税抜価格) ■BIN/ER14FF ¥145,000(税抜価格)

CODE_ AAFFDK19

TECHNOLOGY_ RST Sidewall, Response Frame Woodcore, Dual Ti GEOMETRY_ FIS approved LENGTH RADIUS_ 157(≥11.5), 165(≥12.6) SYSTEM/PLATE_ Flat / RACEPLATE WCR 14
BINDING_ ER 17.0 FREEFLEX EVO BRAKE 85, ER 14.0 FREEFLEX EVO BRAKE 85



GSX TEAM Plate

■BIN/ER14FF ¥95,000(税抜価格) ■BIN/ER11FF ¥85,000(税抜価格)

CODE_ AACFDM19, AACFDR19 PROFILE_ Early Rise Rocker TECHNOLOGY_ RST sidewall, Response Frame, Woodcore, Fibreglass* (134, 142, 150), Dual Ti (158, 166, 176, 182) GEOMETRY_ FIS approved
LENGTH RADIUS_ 134(≥13.0)*, 142(≥15.0)*, 150(≥15.0)*, 158(≥17.0)*, 166(≥17.5), 171(≥20.5), 176(≥23), 182(≥25) SYSTEM/PLATE_ EP 11.5 DUO*
BINDING_ ER 14.0 FF EVO BLK_FGRN, ER 11.0 FF EVO BLK_FGRN*



SLX TEAM Plate

■BIN/ER14FF ¥95,000(税抜価格) ■BIN/ER11FF ¥85,000(税抜価格)

CODE_ AAFFDP19, AAFFDT19 PROFILE_ Early Rise Rocker

TECHNOLOGY_ RST sidewall, Response Frame, Woodcore, Dual Ti, Fibreglass* GEOMETRY_ FIS approved
LENGTH RADIUS_ 133(≥10.5)*, 139(≥10.5)*, 145(≥11.0), 151(≥11.5) SYSTEM/PLATE_ EP 11.5 DUO, EP 11 X* BINDING_ ER 14.0 FF EVO BLK_FGRN, ER 11.0 FF EVO BLK_FGRN*



GSX MASTER Plate

■BIN/ER17FF ¥155,000(税抜価格) ■BIN/ER14FF ¥145,000(税抜価格)


CODE AABFEJ19 **PROFILE** Arrow Rocker

TECHNOLOGY Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base

GEOMETRY 110/69/94 **LENGTH RADIUS** 175(19.0), 180(21.2), 182(23.9), 185(25.1)

SYSTEM/PLATE RACEPLATE EVO 14 + **BINDING** ER 17.0 FREEFLEX EVO, ER 14.0 FREEFLEX EVO

ARROW
TECHNOLOGY



GSX Fusion X

¥135,000(税抜価格)


CODE AAJFEK19, AABFEL19 (Plate) **PROFILE** Arrow Rocker

TECHNOLOGY Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base

GEOMETRY 110/69/94 **LENGTH RADIUS** 170(17.4), 175(19.0), 180(21.2)

SYSTEM/PLATE Fusion X + Arrow Carbon Plate **BINDING** EMX 12.0 GW Fusion X BLK/GRN

ARROW
TECHNOLOGY



SLX Fusion X

¥135,000(税抜価格)


CODE AAKEYG19, AAEFEM19 (Plate) **PROFILE** Arrow Rocker

TECHNOLOGY Arrow Technology, RST Sidewall, Response Frame Woodcore, Dual Ti, NanoTech running base

GEOMETRY 121/68/104 **LENGTH RADIUS** 155(11.0), 160(12.0), 165(12.8), 170(13.5)

SYSTEM/PLATE Fusion X + Arrow Carbon Plate **BINDING** EMX 12.0 GW FusionX BLK/GRN

ARROW
TECHNOLOGY



SL Fusion X

¥105,000(税抜価格)


CODE AALFAD19 **PROFILE** Arrow Rocker

TECHNOLOGY Arrow Technology, RST Sidewall, Response Frame Woodcore, MonoTi, NanoTech running base

GEOMETRY 121/68/104 **LENGTH RADIUS** 155(11.2), 160(12.2), 165(12.8), 170(13.5)

SYSTEM/PLATE Fusion X / Arrow Plate **BINDING** EMX 11.0 GW Fusion X BLK/GRN

ARROW
TECHNOLOGY



BLACK EDITION 2019/20

PORSCHE DESIGN SPORTS EQUIPMENT

高いデザイン性を誇るポルシェデザインスタジオが手掛けるのは、ユニークでハイパフォーマンスを有する製品のみ。スキーにおいてELANだけが認められたポルシェデザインスタジオの監修。そのステータスとパフォーマンスを存分にお楽しみください。



NEW
MODEL



PORSCHE DESIGN ELAN AMPHIBIO

¥150,000(税抜価格)

CODE ABHDXD19

PROFILE Amphibio

TECHNOLOGY TruLine Technology,
RST Sidewall, Laminated Woodcore,
Carbon, Dual Ti

GEOMETRY 121/73/104

LENGTH RADIUS 160(13.3), 166(14.5),
172(15.7), 178(17.0)

SYSTEM/PLATE Fusion X + Carbon Plate

BINDING EMX 12.0 GW Fusion X BLK/MET






W
studio

CRYSTALS
— FROM —
SWAROVSKI
CRYSTALS
— FROM —
SWAROVSKI



NEW
MODEL

A
AMPHIBIO
TRULINE
TECH



NEW
MODEL

TNT
TECHNOLOGY



TNT
TECHNOLOGY

INSOMNIA BLACK EDITION Power Shift

¥110,000 (税抜価格)

CODE_ ACCFJJ19

PROFILE_ Amphibio

TECHNOLOGY_ TruLine Technology,
RST Sidewall, Laminated Woodcore,
Mono TI

GEOMETRY_ 121/73/104

LENGTH RADIUS_ 146(11.3), 152(12.2),
158(13.3), 164(14.5), 170(15.7)

SYSTEM/PLATE_ Power Shift

BINDING_ ELX 11.0 SHIFT GW BLK

RIPSTICK 106 BLACK EDITION

¥100,000 (税抜価格)

CODE_ ADAFJN19

PROFILE_ Amphibio

TECHNOLOGY_ TNT Technology, SST Sidewall,
TubeLite Woodcore, VaporTip, Carbon

GEOMETRY_ 140/106/122

LENGTH RADIUS_ 167(15.8), 174(17.0),
181(18.1), 188(20.4)

WEIGHT_ 1799g +/- 50g (181)

SYSTEM/PLATE_ Flat

RIPSTICK 96 BLACK EDITION

¥90,000 (税抜価格)

CODE_ ADDEFB18

PROFILE_ Amphibio

TECHNOLOGY_ TNT Technology, SST Sidewall,
TubeLite Woodcore, VaporTip, Carbon

GEOMETRY_ 134/96/113

LENGTH RADIUS_ 167(14.9), 174(16.2),
181(18.0), 188(19.5)

WEIGHT_ 1550g +/- 50g (181)

SYSTEM/PLATE_ Flat



A M P H I B I O

AMPHIBIO

ワクワクを生み出す異次元の運動性能。
かつてないダイナミックなターンをより簡単に、
より効率的に再現できる、オンピステのスーパースキー登場。

第3世代に突入した、左右非対称アンフィビオプロファイル「トゥルーラインテクノロジー」を搭載。余分な素材を削ぎ落とし、必要最低限かつ最適なマテリアルの配置によって、軽量でありながらハイスピードを得意とする画期的性能を発揮します。


WAIST
73 mm 76 mm



AMPHIBIO PROFILE
EASY TURNING & EDGE GRIP
EDGE CONTACT

**AMPHIBIO TRULINE
TECHNOLOGY**
FOR OPTIMAL TIP TO
TAIL EDGE PRESSURE

AMPHIBIO
TRULINE
• TECH •



WINGMAN

さあ、飛び立つ準備をしてください。翼はここにあります。
その翼はあなたを雪山のコンディションから解放し、どんな斜面
も楽しめる勇気とミラクルパワーをあなたに与えるでしょう。

トップ&テール、インサイド&アウトサイド、全てにロッカープロファイルを備
えた新しいアンフィビオです。適度なワイドウエストとカーボンチューブの効果
が、雪質を問わない安定した操作性を発揮します。朝夕の雪質の変化を気にせ
ずに1日いっぱい飛び回りましょう！




W I N G M A N

WAIST
78 82 86
mm mm mm


AMPHIBIO TRULINE
TECHNOLOGY
FOR OPTIMAL TIP TO
TAIL EDGE PRESSURE

CARBON RODS
FOR LIGHTWEIGHT
& POWERFUL REBOUND



AMPHIBIO PROFILE
EASY TURNING & EDGE GRIP
EDGE CONTACT

LIGHT TIP
FOR GREATER
VERSATILITY
& FLOTATION



YouTube / ELAN19 WINGMAN





AMPHIBIO
TRULINE
• TECH •

AMPHIBIO TRULINE TECHNOLOGY

Perfection inside and out.


常に最適なエッジプレッシャー配分をオートマチックに再現する、第3世代の左右非対称アンフィビオプロフィール。「TRULINE」テクノロジー搭載。



01

AMPHIBIO TRULINE TECHNOLOGY

全てのエッジに最適なプレッシャー配分を実現。



03

WOODCORE CONSTRUCTION

しなやかでフレキシブルなウッドコア。

02

REINFORCEMENT

インサイドエッジのグリップ向上。

・FUSION X SYSTEM・

NEW
MODEL



06

FUSION X SYSTEM

第5世代フュージョンシステム。

04

NANO TECHNOLOGY


分子レベルで制御されたナノテクノロジーによって、ムラのない高い滑走性とワックス保持力を持つ。



05

AMPHIBIO PROFILE

ロッカーとキャンバーの利点を併せ持つ左右の決まった構造のAmphibio。





NEW
MODEL



AMPHIBIO 18 Ti2


Fusion X

¥125,000 (税抜価格)



CODE_ ABHEUE19 PROFILE_ Amphibio

TECHNOLOGY_ TruLine Technology, RST Sidewall, Laminated Woodcore, Dual Ti, NanoTech running base GEOMETRY_ 121/73/104
LENGTH RADIUS_ 160(13.3), 166(14.5), 172(15.7), 178(17.0) SYSTEM/PLATE_ Fusion X BINDING_ EMX 12.0 GW Fusion X BLK/GRN



NEW
MODEL



AMPHIBIO 16 Ti


Fusion X

¥105,000 (税抜価格)



CODE_ ABIEUH19 PROFILE_ Amphibio

TECHNOLOGY_ TruLine Technology, RST Sidewall, Laminated Woodcore, Mono Ti, NanoTech running base GEOMETRY_ 121/73/104
LENGTH RADIUS_ 160(13.3), 166(14.5), 172(15.7), 178(17.0) SYSTEM/PLATE_ Fusion X BINDING_ EMX 12.0 GW Fusion X BLK/ORG



NEW
MODEL



AMPHIBIO 14 Ti


Fusion X

¥95,000 (税抜価格)



CODE_ ABJFEV19 PROFILE_ Amphibio

TECHNOLOGY_ TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Mono Ti GEOMETRY_ 125/76/104
LENGTH RADIUS_ 152(11.6), 160(13.0), 168(14.6), 176(16.2) SYSTEM/PLATE_ Fusion X BINDING_ EMX 11.0 GW Fusion X BLK/ORG



NEW
MODEL



AMPHIBIO 12 C


Power Shift

¥85,000 (税抜価格)



CODE_ ABKFFE19 PROFILE_ Amphibio

TECHNOLOGY_ TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Carbon GEOMETRY_ 125/76/104
LENGTH RADIUS_ 152(11.6), 160(13.0), 168(14.6), 176(16.2) SYSTEM/PLATE_ Power Shift BINDING_ ELS 11.0 SHIFT GW BLACK



NEW
MODEL



AMPHIBIO 10 Ti


Power Shift

¥75,000 (税抜価格)



CODE_ ABJFEV19 PROFILE_ Amphibio

TECHNOLOGY_ TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Mono Ti GEOMETRY_ 125/76/104
LENGTH RADIUS_ 152(11.6), 160(13.0), 168(14.6), 176(16.2) SYSTEM/PLATE_ Power Shift BINDING_ EL 10.0 SHIFT GW BLK/GRN




AMPHIBIO TRULINE TECHNOLOGY

Perfection inside and out.

常に最適なエッジプレッシャー配分をオートマチックに再現する、第3世代の左右非対称アンフィビオプロファイル。「TRULINE」テクノロジー搭載。



AMPHIBIO
TRULINE
・TECH・



01

AMPHIBIO TRULINE TECHNOLOGY

全てのエッジに最適なプレッシャー配分を実現。



03

REINFORCEMENT

インサイドエッジのグリップ向上。

・FUSION X SYSTEM・

NEW
MODEL

06

FUSION X SYSTEM


第5世代フュージョンシステム。



02

LIGHT TIP


あらゆる雪質で汎用性が高い浮力を確保。



05

AMPHIBIO PROFILE

ロッカーとキャンバーの利点を併せ持つ左右の決まった構造のAmphibio。



04

CARBON RODS

スキーのサイドカットに沿う曲線で内部に配置された直径5mmの中空カーボンチューブ。軽量化と同時に捻じれ強度の安定とエッジサイドへのパワー伝達を強化。



NEW
MODEL




AMPHIBIO
TRULINE
TECH

WINGMAN 86 CTI

Fusion X/Flat

■ FUSION X ¥125,000 (税抜価格) ■ FLAT ¥95,000 (税抜価格)

CODE ABAEVU19, ABAEVX19 (Flat) **PROFILE** Amphibio **TECHNOLOGY** TruLine Technology, SST Sidewall, Tubelite Woodcore, Carbon Rods, Mono Ti **GEOMETRY** 130/86/115 **LENGTH RADIUS** 160(13.8), 166(14.7), 172(15.6), 178(16.5), 184(17.4) **SYSTEM/PLATE** Fusion X / Flat **BINDING** EMX 12.0 GW Fusion X BLK/GRN



NEW
MODEL




AMPHIBIO
TRULINE
TECH

WINGMAN 82 CTI

Fusion X/Flat

■ FUSION X ¥120,000 (税抜価格) ■ FLAT ¥90,000 (税抜価格)

CODE ABBEWA19, ABBEWD19 (Flat) **PROFILE** Amphibio **TECHNOLOGY** TruLine Technology, SST Sidewall, TubeLite Woodcore, Carbon Rods, Mono Ti **GEOMETRY** 129/82/112 **LENGTH RADIUS** 160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7) **SYSTEM/PLATE** Fusion X / Flat **BINDING** EMX 12.0 GW Fusion X BLK/GRN



NEW
MODEL



AMPHIBIO
TRULINE
TECH

WINGMAN 82 TI

Power Shift/Flat

■ POWER SHIFT ¥95,000 (税抜価格) ■ FLAT ¥70,000 (税抜価格)

CODE ABFEWG19, ABFEWK19 (Flat) **PROFILE** Amphibio **TECHNOLOGY** TruLine Technology, SST Sidewall, Laminated Woodcore, Mono Ti **GEOMETRY** 129/82/112 **LENGTH RADIUS** 160(12.0), 166(13.1), 172(14.3), 178(15.5), 184(16.7) **SYSTEM/PLATE** Power Shift **BINDING** ELX 11.0 GW SHIFT BLK/ORG



NEW
MODEL




AMPHIBIO
TRULINE
TECH

WINGMAN 78 TI

Power Shift

¥85,000 (税抜価格)

CODE ABGFHW19 **PROFILE** Amphibio **TECHNOLOGY** TruLine Technology, SST Sidewall, PowerShell, Power Woodcore, Mono Ti **GEOMETRY** 125/78/104 **LENGTH RADIUS** 152(11.6), 160(13.0), 168(14.6), 176(16.2) **SYSTEM/PLATE** Power Shift **BINDING** ELS 11.0 SHIFT GW BLACK



NEW
MODEL




AMPHIBIO
TRULINE
TECH

WINGMAN 78 C

Power Shift



¥75,000 (税抜価格)

CODE ABGFLB19 **PROFILE** Amphibio **TECHNOLOGY** TruLine Technology, SST Sidewall, PowerShell, Power Woodcore, Carbon **GEOMETRY** 125/78/104 **LENGTH RADIUS** 152(11.6), 160(13.0), 168(14.6), 176(16.2) **SYSTEM/PLATE** Power Shift **BINDING** EL 10.0 SHIFT GW BLK/GRN



Confidence building
performance for any
situation on the mountain.

TNTテクノロジーはチューブライトウッドコアとのコンビネーションによるユニークで革新的な構造です。エッジサイドに沿った5mm径のカーボンチューブを内蔵したウッドコアのトップ&テール部に、軽量で振動抑制効果を持つヴェイパーチップを埋め込むことで、超軽量でバランスのとれた基本性能を獲得しました。軽快なレスポンスと確かな安定性が、スムーズで調和のとれたライディングもたらしめます。



01

VAPOR TIP INSERTS

軽量で柔らかく粘りのあるヴェイパーチップをスキートップとテールの最適な位置にインサートしました。これにより重量とスウィングウェイトの軽量化とフローテーション効果を発揮、驚くほどスムーズなライディングをもたらします。

02

TUBELITE WOODCORE

軽量ラミネートウッドコアに二本の超軽量カーボンチューブを内蔵させたチューブライトテクノロジー。

03

AMPHIBIO PROFILE

ロッカーとキャンバーの利点を併せ持つ左右の決まった構造のAmphibio。

04

CARBON RODS

スキーのサイドカットに沿う曲線で内部に配置された直径5mmの中空カーボンチューブ。軽量化と同時に捻じれ強度の安定とエッジサイドへのパワー伝達を強化。

05

SST SIDEWALL

FOR DIRECT POWER TRANSMISSION




RIPSTICK 116

¥90,000(税抜価格)



CODE ADODXF18 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass
GEOMETRY 143/116/132 **LENGTH RADIUS** 185(20.3), 193(22.9) **WEIGHT** 1900g +/-50g (185) **SYSTEM/PLATE** Flat




RIPSTICK 106

¥86,000(税抜価格)



CODE ADODXL18 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass
GEOMETRY 140/106/122 **LENGTH RADIUS** 167(15.8), 174 (17.0), 181(18.1), 188(20.4) **WEIGHT** 1830g +/-50g (181)
SYSTEM/PLATE Flat



RIPSTICK 96

¥76,000(税抜価格)



CODE AD1DXG18 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass
GEOMETRY 134/96/113 **LENGTH RADIUS** 167(14.9), 174(16.2), 181(18.0), 188(19.5) **WEIGHT** 1610g +/-50g (181)
SYSTEM/PLATE Flat




RIPSTICK 88

¥70,000(税抜価格)



CODE ADGEUU19 **PROFILE** Amphibio **TECHNOLOGY** TNT technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass
GEOMETRY 130/88/105 **LENGTH RADIUS** 151(13.0), 158(13.7), 165(14.2), 172(15.4), 179(17.0), 186(18.9)
WEIGHT 1830g +/-50g (181) **SYSTEM/PLATE** Flat





BRIDGE TECHNOLOGY

Uphill efficiency meets power and performance.

ブリッジテクノロジーは、軽量化を実現し、ねじれ剛性と比類のないパワー伝達を可能にしました。革新的でユニークな3D形状は、スノーハイクをよりスムーズに改善し、ウッドコアプロファイルにより滑らかな乗り心地を実現し、ペーパーチップインサートの採用で軽量化されています。


BRIDGE
TECHNOLOGY



01

CARBON POWER SHELL

超軽量とパワフルなターンを可能とするトーションバランス、プロフェッショナル使用のフルカーボンシェル。



02

CYA PLATE



ビンディングのビス抜けを防ぎ安定した足元強度を確保します。



03

VAPOR INSERTS

スキーの軽量化を図り、スムーズなターンをもたらします。



04

TUBELITE WOODCORE

内蔵された3本のカーボンチューブがトーションとフレックスのバランスを高めます。



05

CARBON RODS

スキーのサイドカットに沿う曲線で内部に配置された直径5mmの中空カーボンチューブ。軽量化と同時に捻じれ強度の安定とエッジサイドへのパワー伝達を強化。




IBEX 94 CARBON XLT

¥90,000(税抜価格)

BRIDGE
TECHNOLOGY

CODE ADJEUC19 **PROFILE** Mountain Rocker **TECHNOLOGY** Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CYA Plate, Carbon Power Shell
GEOMETRY 130/94/111 **LENGTH RADIUS** 163(18.9), 170(20.1), 177(21.2), 184(22.7)
WEIGHTS 1360g +/- 50g (170) **SYSTEM/PLATE** Flat




IBEX 94 CARBON

¥75,000(税抜価格)

BRIDGE
TECHNOLOGY

CODE ADKEUD19 **PROFILE** Mountain Rocker **TECHNOLOGY** Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CYA Plate, Fibreglass
GEOMETRY 130/94/111 **LENGTH RADIUS** 163(18.9), 170(20.1), 177(21.2), 184(22.7)
WEIGHTS 1390g +/- 50g (170) **SYSTEM/PLATE** Flat



IBEX 84 CARBON XLT

¥85,000(税抜価格)

BRIDGE
TECHNOLOGY

CODE ADJEUM19 **PROFILE** Mountain Rocker **TECHNOLOGY** Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CYA Plate, Carbon Power Shell
GEOMETRY 120/84/105 **LENGTH RADIUS** 149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)
WEIGHTS 1210g +/- 50g (170) **SYSTEM/PLATE** Flat



IBEX 84 CARBON

¥70,000(税抜価格)

BRIDGE
TECHNOLOGY

CODE ADMEUN19 **PROFILE** Mountain Rocker **TECHNOLOGY** Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CYA Plate, Fibreglass
GEOMETRY 120/84/105 **LENGTH RADIUS** 149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)
WEIGHTS 1270g +/- 50g (170) **SYSTEM/PLATE** Flat



IBEX 84

¥55,000(税抜価格)

BRIDGE
TECHNOLOGY

CODE ADNEYB19 **PROFILE** Mountain Rocker **TECHNOLOGY** Bridge Technology, Laminated Woodcore, Vapor Inserts, CYA Plate, Fibreglass
GEOMETRY 120/84/105 **LENGTH RADIUS** 149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)
WEIGHTS 1400g +/- 50g (170) **SYSTEM/PLATE** Flat



IBEX 78

¥54,000(税抜価格)

BRIDGE
TECHNOLOGY

CODE ADOEUP19 **PROFILE** Mountain Rocker **TECHNOLOGY** Bridge Technology, Laminated Woodcore, Vapor Inserts, CYA Plate, Fibreglass
GEOMETRY 114/78/100 **LENGTH RADIUS** 149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0)
WEIGHTS 1330g +/- 50g (170) **SYSTEM/PLATE** Flat




GROOVE TECHNOLOGY

Always in balance
always in control.

GROOVE

TECHNOLOGY


エレメントは、バランスのとれたポジションと高い安定性をもたらすスキープラットフォームを提供します。あらゆるターンにおいてバランスとコントロールを確実にするグルーブテクノロジーを装備し、Powerシェル構造によりすべてのレベルのスキーヤーに滑走時の安定性を提供します。更に、パラボリックロッカー採用により容易なターンを実現し、スムーズな上達を可能にします。



01

GROOVE TECHNOLOGY


スキー全域にわたる適切なフレックスコントロールで、スキーヤーのバランス保持とスムーズなターンをサポート。



02

POWER SHELL

パワー伝達に優れ、軽量かつ安定したエッジングを可能とするパワーシェル構造を採用。



03

PARABOLIC ROCKER

放物線状にデザインされたサイドカットとロッカープロファイルにより、思い通りのライン取りとスムーズなターンをリードする。



ELEMENT GREEN

Light Shift

¥58,000 (税抜価格)




GROOVE TECHNOLOGY

CODE ABMEVL19 PROFILE Parabolic Rocker

TECHNOLOGY Groove Technology, Power Shell, Dual Woodcore, Fibreglass GEOMETRY 127/76/102

LENGTH RADIUS 144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9) SYSTEM/PLATE Light Shift BINDING EL 10.0 SHIFT GW BLK/GRN



ELEMENT BLACK

Light Shift

¥58,000 (税抜価格)




GROOVE TECHNOLOGY

CODE ABMFBF19 PROFILE Parabolic Rocker

TECHNOLOGY Groove Technology, Power Shell, Dual Woodcore, Fibreglass GEOMETRY 127/76/102

LENGTH RADIUS 144(10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9) SYSTEM/PLATE Light Shift BINDING EL 10.0 SHIFT GW BLK/GRN



ELEMENT BLUE

Light Shift

¥58,000 (税抜価格)




GROOVE TECHNOLOGY

CODE ABMEVM19 PROFILE Parabolic Rocker

TECHNOLOGY Groove Technology, Power Shell, Dual Woodcore, Fibreglass GEOMETRY 127/76/102

LENGTH RADIUS 144 (10.6), 152(12.0), 160(13.5), 168(15.2), 176(16.9) SYSTEM/PLATE Light Shift BINDING EL 10.0 SHIFT GW BLK/ORG



ALL MOUNTAIN EXPLORE




EXPLORE 6 GREEN

Light Shift

¥46,000(税抜価格)

CODE ABPFFV19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Dynaflex Technology, Full Power Cap, Mono Woodcore, Fibreglass
GEOMETRY 114/71/103 **LENGTH RADIUS** 138(9.5), 144(10.5), 152(11.9), 160(13.4), 168(15.0)
SYSTEM/PLATE LIGHT SHIFT **BINDING** EL 9.0 GW SHIFT BLK/SMOKE




EXPLORE 6 RED

Light Shift

¥46,000(税抜価格)

CODE ABPFFW19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Dynaflex Technology, Full Power Cap, Mono Woodcore, Fibreglass
GEOMETRY 114/71/103 **LENGTH RADIUS** 138(9.5), 144(10.5), 152(11.9), 160(13.4), 168(15.0)
SYSTEM/PLATE LIGHT SHIFT **BINDING** EL 9.0 GW SHIFT BLK/SMOKE



ALL MOUNTAIN FREE LINE




FREELINE CAMO 125/135

Quick Shift

¥48,000(税抜価格)

CODE AG4CDS16 **PROFILE** Conventional
TECHNOLOGY Full Power Cap, Synflex core, twin tip **GEOMETRY** 111/87/100*, 115/76/105 **LENGTH RADIUS** 125 (8.5), 135 (10.3)
SYSTEM/PLATE Quick Shift **BINDING** EL 10.0 SHIFT GW BLK/SMOK




FREELINE CAMO 99

Quick Shift

¥45,000(税抜価格)

CODE AG4CDS16 **PROFILE** Conventional
TECHNOLOGY Full Power Cap, Synflex core, twin tip **GEOMETRY** 111/87/100 **LENGTH RADIUS** 99 (7.7)
SYSTEM/PLATE Quick Shift **BINDING** EL 10.0 SHIFT WB 90 BLK/SMOKE





W


studio

15th anniversary

We
rule

女性の、女性による、女性のためのスキースタジオ。それが「W-Studio」です。私たちは互いに支え合い、互いに愛し合い、互いに受け入れ合います。それが「W-Studio」、私たちが共生する理由です。私たちがあなたがたのために、みんなのためにつくるスキーで、最高の体験を得てください。さあ！ Whiteパラダイスへの第1歩を踏み出しましょう。私たちと一緒に！

AMPHIBIO TRULINE •TECH•



AMPHIBIO TRULINE TECHNOLOGY

全てのエッジに最適なプレッシャー配分を実現。

REINFORCEMENT

インサイドエッジの
グリップ向上。

AMPHIBIO PROFILE

ロッカーとキャンバーの利点を併せ持つ
左右の決まった構造のAmphibio。

WOODCORE CONSTRUCTION

しなやかで
フレキシブルなウッドコア。

INSOMNIA Power Shift


¥105,000(税抜価格)

NEW
MODEL

AMPHIBIO
TRULINE
•TECH•



CODE_ ACCEYC19 **PROFILE_** Amphibio **TECHNOLOGY_** TruLine Technology, RST Sidewall, Laminated Woodcore, Mono Ti
GEOMETRY_ 121/73/104 **LENGTH RADIUS_** 146(11.3), 152(12.2), 158(13.3), 164(14.5), 170(15.7)
SYSTEM/PLATE_ Power Shift **BINDING_** ELW 11.0 SHIFT GW BLK_BLUE B85



INSPIRE Power Shift


¥95,000(税抜価格)

NEW
MODEL

AMPHIBIO
TRULINE
•TECH•



CODE_ ACDFAE19 **PROFILE_** Amphibio **TECHNOLOGY_** TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Mono Ti
GEOMETRY_ 125/76/107 **LENGTH RADIUS_** 152(11.6), 158(13.1), 166(14.6)
SYSTEM/PLATE_ Power Shift **BINDING_** ELW 10.0 GW SHIFT BLK/PNK



IMAGINE Power Shift


¥85,000(税抜価格)

NEW
MODEL

AMPHIBIO
TRULINE
•TECH•



CODE_ ACEFKK19 **PROFILE_** Amphibio **TECHNOLOGY_** TruLine Technology, RST Sidewall, PowerShell, Power Woodcore, Carbon
GEOMETRY_ 125/76/107 **LENGTH RADIUS_** 144(10.2), 152(11.6), 158(13.1), 166(14.6)
SYSTEM/PLATE_ Power Shift **BINDING_** ELW 9.0 SHIFT GW BLK




DELIGHT PRIME BLACK

Light Shift

¥70,000 (税抜価格)

CODE ACGFBU19 **PROFILE** EarlyRise Rocker **TECHNOLOGY** SlimShape Technology, PST Sidewall, Laminated Woodcore, Mono Ti
GEOMETRY 126/76/103 **LENGTH RADIUS** 146(10.5), 152(11.5), 158(12.6), 164(14.1)
SYSTEM/PLATE Light Shift **BINDING** ELW 9.0 GW SHIFT BLK/PNK




DELIGHT PRIME WHITE

Light Shift

¥70,000 (税抜価格)

CODE ACGFJF19 **PROFILE** EarlyRise Rocker **TECHNOLOGY** SlimShape Technology, PST Sidewall, Laminated woodcore, Mono Ti
GEOMETRY 126/76/103 **LENGTH RADIUS** 146(10.5), 152(11.5), 158(12.6), 164(14.1)
SYSTEM/PLATE Light Shift **BINDING** ELW 9.0 SHIFT GW BLK/BLUE




ELEMENT WHITE

Light Shift

¥58,000 (税抜価格)

CODE ABMEVN19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Groove Technology, Power Shell, Dual Woodcore, Fibreglass
GEOMETRY 127/76/102 **LENGTH RADIUS** 144(10.6), 152(12.0), 160(13.5), 168(15.2)
SYSTEM/PLATE Light Shift **BINDING** ELW 9.0 SHIFT GW BLK/BLUE




ELEMENT BLACK BLUE

Light Shift

¥58,000 (税抜価格)

CODE ABMEVP19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Groove Technology, Power Shell, Dual Woodcore, Fibreglass
GEOMETRY 127/76/102 **LENGTH RADIUS** 144(10.6), 152(12.0), 160(13.5), 168(15.2)
SYSTEM/PLATE Light Shift **BINDING** ELW 9.0 SHIFT GW BLK/BLUE




ZEST BLUE

Light Shift

¥46,000 (税抜価格)

CODE ACJFER19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Waveflex Technology, Full Power Cap, Dual Woodcore, Fibreglass
GEOMETRY 125/76/103 **LENGTH RADIUS** 140(10.2), 146(11.3), 152(12.3), 158(13.9)
SYSTEM/PLATE LIGHT SHIFT **BINDING** ELW 9.0 GW SHIFT WHT




SNOW

Light Shift

¥42,000 (税抜価格)

CODE ACKFES19 **PROFILE** Parabolic Rocker **TECHNOLOGY** Dynaflex Technology, Full Power Cap, MonoLite Woodcore, Fibreglass
GEOMETRY 114/72/103 **LENGTH RADIUS** 140(9.5), 146(10.5), 152(11.9), 158(13.4)
SYSTEM/PLATE LIGHT SHIFT **BINDING** EL 7.5 GW AC SHIFT WHT



W STUDIO
RIPSTICK

Studio
B Technology




RIPSTICK 102 W

¥85,000(税抜価格)

TNT
TECHNOLOGY

CODE ADEXY18 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass
GEOMETRY 143/102/120 **LENGTH RADIUS** 156(15.0), 163(15.8), 170(17.0), 177(18.1)
WEIGHT 1730g +/- 50g (170) **SYSTEM/PLATE** Flat




RIPSTICK 94 W


¥75,000(税抜価格)

TNT
TECHNOLOGY

CODE AD1DYC18 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass
GEOMETRY 135/94/110 **LENGTH RADIUS** 156(14.0), 163(15.0), 170(16.2), 177(18.0)
WEIGHT 1560g +/- 50g (170) **SYSTEM/PLATE** Flat



NEW
MODEL




RIPSTICK 88 W

¥69,000(税抜価格)

TNT
TECHNOLOGY

CODE ADGEUX19 **PROFILE** Amphibio **TECHNOLOGY** TNT Technology, SST Sidewall, TubeLite Woodcore, VaporTip, Fibreglass
GEOMETRY 130/88/105 **LENGTH RADIUS** 149(13.0), 156(13.7), 163(14.2), 170(15.4), 177(17.0)
WEIGHT 1460g +/- 50g (166) **SYSTEM/PLATE** Flat



W STUDIO
TOURING

Studio
B Technology




IBEX 84W CARBON

¥70,000(税抜価格)

BRIDGE
TECHNOLOGY

CODE ADMFJH19 **PROFILE** Mountain Rocker **TECHNOLOGY** Bridge Technology, TubeLite Woodcore, Carbon Rods, Vapor Inserts, CYA Plate, Fibreglass
GEOMETRY 120/84/105
LENGTH RADIUS 149(16.0/15.0), 156(17.0/16.0), 163(18.0/17.0), 170(19.0/18.0), 177(20.0/19.0) **WEIGHT** 1270g +/- 50g (170)
SYSTEM/PLATE Flat



RC RACE

Quick Shift

¥39,000(税抜価格)



CODE_ AF0DZW18 PROFILE_ WaveFlex TECHNOLOGY_ Full Power Cap, Dual Woodcore, Fiberglass

GEOMETRY_ 114/70,5/99 LENGTH RADIUS_ 110(6.2)*, 120(7.5)*, 130(8.9), 140(10.3), 150(11.9) SYSTEM/PLATE_ SLR2 BINDING_ EL 4.5 GW AC SHIFT* / EL 7.5 GW AC SHIFT



PROBLEM

Stiff flex.

短いスキーは
硬い!

IDEA

スニーカーの
ソール?

SOLUTION

U-Flex technology.

U-Flex採用で
短いスキーでも
ソフトフレックス!

MAXX BLK RED

Quick Shift

¥ OPEN



CODE_ AFDEZJ19 PROFILE_ EarlyRise Rocker TECHNOLOGY_ U-Flex Technology, Full Power Cap, Synflex, Fibreglass

GEOMETRY_ 101/69/90 LENGTH RADIUS_ 70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1) SYSTEM/PLATE_ Quick Shift BINDING_ EL 4.5 GW AC SHIFT BLK



SKY


Quick Shift

¥ OPEN



CODE_ AFPEZG19 PROFILE_ EarlyRise Rocker TECHNOLOGY_ U-Flex Technology, Full Power Cap, Synflex, Fibreglass

GEOMETRY_ 101/69/90 LENGTH RADIUS_ 70(2.5), 80(3.5), 90(4.8), 100(6.2), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1) SYSTEM/PLATE_ Quick Shift BINDING_ EL 4.5 GW AC SHIFT WHT



PINBALL CAMO

Quick Shift

¥ OPEN

CODE_ AFMFST19 PROFILE_ EarlyRise Rocker TECHNOLOGY_ Full Power Cap, Synflex Core, Fibreglass GEOMETRY_ 125/76/103

LENGTH RADIUS_ 100(6.1), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1) SYSTEM/PLATE_ Quick Shift BINDING_ EL 4.5 GW AC SHIFT BLK



LIL SNOW

Quick Shift

¥ OPEN

CODE_ AFMFSS19 PROFILE_ EarlyRise Rocker TECHNOLOGY_ Full Power Cap, Synflex Core, Fibreglass GEOMETRY_ 101/67/91

LENGTH RADIUS_ 100(6.1), 110(7.0), 120(8.6), 130(9.4), 140(11.2), 150(13.1) SYSTEM/PLATE_ Quick Shift BINDING_ EL 4.5 GW AC SHIFT WHT



ROLLER BAG

SALES CODE_CJ001118

SIZE_W/36×H/35×D/76cm

¥18,000 (税抜価格)



収納式ハンドル



二輪キャスター付



BIG BACK PACK

SALES CODE_CJ001018

SIZE_W/44×H/54×D/38cm

¥14,000 (税抜価格)



左右ポケットは
スキーブーツ収納可能



SKI BAG SINGLE III

SALES CODE_CJ000716

SIZE_M : ~175cm

L : ~185cm

¥6,900 (税抜価格)

SKI BAG DOUBLE III

SALES CODE_CJ000816

SIZE_M : ~175cm

L : ~185cm

¥8,200 (税抜価格)



black/green

SKI BAG SINGLE II LADIES

SALES CODE_CJ000916

SIZE_S : ~165cm

¥6,900 (税抜価格)



black/pink
(Ladies)

SKI CASE JP II

SALES CODE_CJ000415

SIZE_M : ~175cm

¥4,800 (税抜価格)



宅配伝票対応ポケット付



black/green

SKI CASE JP II LADIES

SALES CODE_CJ000515

SIZE_S : ~165cm

¥4,800 (税抜価格)



宅配伝票対応ポケット付



black/pink
(Ladies)

SKI TIP COVER

SALES CODE_CJ000615

SIZE_FREE

¥3,200 (税抜価格)



Top



Tail



Always Good Times®



elan

ELAN JAPAN CO., LTD.

TOMOE Bldg 2F, 3-3-4 Kandamisaki-cho, Chiyoda-ku, Tokyo, Japan 101-0061
Tel. 03 (6272) 9016 Fax. 03 (6272) 9018