



NORDICA

2023 | 2024

NEW DOBERMANN.

BLACK IS THE NEW BLACK.



find out more





NEW

soles:
Not replaceable -
Alpine DIN 5355

last (mm) **flex**
93 150-130

size range **g/MP 26,5**
22,5-29,5 2450

liner type/style:
Heel Link Laced Race Fit

technologies:
Dynamic Booster Stiff
Double setting quick spoiler
4 buckles RD alu micro adj
5 mm lifters in box

DOBERMANN 5 RD - ES
050A06 00 100 black



NEW

soles:
Not replaceable -
Alpine DIN 5355

last (mm) **flex**
93 140-120

size range **g/MP 26,5**
22,5-29,5 2450

liner type/style:
Heel Link Laced Race Fit

technologies:
Dynamic Booster Stiff
Double setting quick spoiler
4 buckles RD alu micro adj
5 mm lifters in box

DOBERMANN 5 RD - S
050A08 00 100 black



NEW

soles:
Not replaceable -
Alpine DIN 5355

last (mm) **flex**
93 120-100

size range **g/MP 26,5**
22,5-29,5 2450

liner type/style:
Heel Link Laced Race Fit

technologies:
Dynamic Booster Med
Double setting quick spoiler
4 buckles RD alu micro adj
5 mm lifters in box

DOBERMANN 5 RD - M
050A10 00 100 black



NEW

soles:
Not replaceable -
Alpine DIN 5355

last (mm) **flex**
93 110-90

size range **g/MP 26,5**
22,5-27,5 2060

liner type/style:
Heel Link Laced Race Fit L.C.

technologies:
Dynamic Booster Med
Double setting quick spoiler
4 buckles RD alu micro adj

DOBERMANN 5 RD - SOFT L.C.
050A12 00 100 black



RACE-ON PISTE / DOBERMANN / 96mm



NEW

soles:
Not replaceable -
Alpine DIN 5355

last (mm) **flex**
96 140-120

size range **g/MP 26,5**
22,5-29,5 2310

liner type/style:
Dobermann 5 Race laced

technologies:
Dynamic Booster Med
Double setting quick spoiler
4 buckles alu micro screwed
5 mm lifters in box

DOBERMANN 5 S
050A20 00 100 black



NEW

soles:
Not replaceable -
Alpine DIN 5355

last (mm) **flex**
96 120-100

size range **g/MP 26,5**
22,5-29,5 2310

liner type/style:
Dobermann 5 Race laced

technologies:
Dynamic Booster Med
Double setting quick spoiler
4 buckles alu micro screwed
5 mm lifters in box

DOBERMANN 5 M
050A22 00 100 black



NEW

soles:
Not replaceable -
Alpine DIN 5355

last (mm) **flex**
96 110-90

size range **g/MP 24,5**
21,5-27,5 2060

liner type/style:
Dobermann 5 Race laced L.C.

technologies:
Strap 45mm
Quick set Spoiler
4 buckles alu micro screwed

DOBERMANN 5 M.L.C.
050A24 00 100 black



NEW

soles:
Not replaceable -
Alpine DIN 5355

last (mm) **flex**
96 90-70

size range **g/MP 24,5**
21,5-27,5 2060

liner type/style:
Dobermann 5 Race laced L.C.

technologies:
Strap 45mm
Quick set Spoiler
4 buckles alu micro screwed

DOBERMANN 5 SOFT L.C.
050A28 00 100 black



MACHINE FAMILY.

THE PERFORMANCE YOU DEMAND, THE COMFORT YOU DESIRE.



**PROMACHINE
PURE POWER**

**SPEEDMACHINE
TRUE PERFORMANCE**

**SPORTMACHINE
ABSOLUTE CONTROL**



soles:
 Michelin® Gripwalk® soles
last (mm) **flex**
 98 130
size range **g/MP 26,5**
 22,5-30,5 1870
liner type/style:
 Isotherm 3D Cork Fit R
 laced & adjustable tongue
technologies:
 Infrared
 Tri-Fit Technology
 45mm Power Driver Strap
 Tri Force Construction
 Easy Entry Soft Flap



PROMACHINE 130 GW

050F42 03 7T1 black / anthracite / red



soles:
 Gripwalk® soles
last (mm) **flex**
 98 120
size range **g/MP 26,5**
 24,0-30,5 1830
liner type/style:
 Isotherm 3D
 Cork Fit Primaloft®
technologies:
 Infrared
 Tri-Fit Technology
 45mm Power Driver Strap
 Tri Force Construction
 Easy Entry Soft Flap



PROMACHINE 120 GW

050F44 03 731 black / anthracite / green



soles:
 Gripwalk® soles
last (mm) **flex**
 98 110
size range **g/MP 26,5**
 24,0-30,5 1810
liner type/style:
 Isotherm 3D Primaloft®
technologies:
 Infrared
 Tri-Fit Technology
 45mm Strap
 Tri Force Construction
 Easy Entry Soft Flap



PROMACHINE 110 GW

050F50 03 M99 anthracite / black / red



soles:
 Gripwalk® soles
last (mm) **flex**
 98 100
size range **g/MP 26,5**
 24,0-30,5 1810
liner type/style:
 Isotherm 3D Primaloft®
technologies:
 Infrared
 Tri-Fit Technology
 45mm Strap
 Tri Force Construction
 Easy Entry Soft Flap



PROMACHINE 100 GW

050F53 03 N96 black / grey / red



soles:
 Michelin® Gripwalk® soles
last (mm) **flex**
 98 115
size range **g/MP 24,5**
 22,0-27,5 1690
liner type/style:
 Isotherm 3D Cork W
 Primaloft®
technologies:
 Infrared
 Tri-Fit Technology
 45mm Power Driver Strap
 Tri Force Construction
 Easy Entry Soft Flap



PROMACHINE 115 W GW

050F46 03 731 black / anthracite / green



soles:
 Gripwalk® soles
last (mm) **flex**
 98 105
size range **g/MP 24,5**
 22,0-27,5 1670
liner type/style:
 Isotherm 3D Cork W
 Primaloft®
technologies:
 Infrared
 Tri-Fit Technology
 35mm Power Driver Strap
 Tri Force Construction
 Easy Entry Soft Flap



PROMACHINE 105 W GW

050F48 03 5N6 white / black / pink



soles:
 Gripwalk® soles
last (mm) **flex**
 98 95
size range **g/MP 24,5**
 22,0-27,5 1650
liner type/style:
 Isotherm 3D W Primaloft®
technologies:
 Infrared
 Tri-Fit Technology
 Strap 35mm
 Tri Force Construction
 Easy Entry Soft Flap



PROMACHINE 95 W GW

050F52 03 T62 black / anthracite / blue



soles:
 Gripwalk® soles
last (mm) **flex**
 98 85
size range **g/MP 24,5**
 22,0-27,5 1630
liner type/style:
 Isotherm 3D W Primaloft®
technologies:
 Infrared
 Tri-Fit Technology
 Strap 35mm
 Tri Force Construction
 Easy Entry Soft Flap



PROMACHINE 85 W GW

050F54 03 Q04 black / white / green



ALL MOUNTAIN / HIGH PERFORMANCE / SPEEDMACHINE



soles:
Michelin® Gripwalk® soles

last (mm)	flex
100	130
size range	g/MP 26,5
24,0-31,0	1950

liner type/style:
3D Cork Fit

technologies:
Infrared
Flex Adjustment
Tri-Fit Technology
45mm Power Driver Strap
Tri Force Construction
Easy Entry Soft Flap



SPEEDMACHINE 3 130 S GW
050G10 00 3F1 black / red / anthracite



soles:
Gripwalk® soles

last (mm)	flex
100	130
size range	g/MP 26,5
24,0-31,0	1920

liner type/style:
3D Cork Fit Primaloft®

technologies:
Infrared
Flex Adjustment
Tri-Fit Technology
45mm Power Driver Strap
Tri Force Construction
Easy Entry Soft Flap



SPEEDMACHINE 3 130 GW
050G14 00 7T1 black / anthracite / red



soles:
Gripwalk® soles

last (mm)	flex
100	120
size range	g/MP 26,5
24,0-31,0	1910

liner type/style:
3D Cork Fit Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 45 mm
Tri Force Construction
Easy Entry Soft Flap



SPEEDMACHINE 3 120 GW
050G18 00 047 anthracite / black / green



soles:
Gripwalk® soles

last (mm)	flex
100	110
size range	g/MP 26,5
24,0-31,0	1910

liner type/style:
3D Cork Fit Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 45mm
Tri Force Construction
Easy Entry Soft Flap



SPEEDMACHINE 3 110 GW
050G22 00 7T1 black / anthracite / red



soles:
Gripwalk® soles

last (mm)	flex
100	100
size range	g/MP 26,5
24,0-31,0	1910

liner type/style:
3D Performance Fit Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 45mm
Tri Force Construction
Easy Entry Soft Flap



SPEEDMACHINE 3 100 GW
050G26 00 2T5 grey / black / white





soles:
Gripwalk® soles

last (mm)	flex
100	115
size range	g/MP 24,5
22,0-27,5	1700

liner type/style:
3D Cork Fit W Primaloft®

technologies:
Infrared
Tri-Fit Technology
35mm Power Driver Strap
Tri Force Construction
Adjustable Cuff Profile (ACP)
Easy Entry Soft Flap

SPEEDMACHINE 3 115 W GW

050G15 00 3A9 black / white / pink



soles:
Gripwalk® soles

last (mm)	flex
100	105
size range	g/MP 24,5
22,0-27,5	1700

liner type/style:
3D Cork Fit W Primaloft®

technologies:
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile (ACP)
Easy Entry Soft Flap

SPEEDMACHINE 3 105 W GW

050G19 00 Q04 black / white / green



soles:
Gripwalk® soles

last (mm)	flex
100	95
size range	g/MP 24,5
22,0-27,5	1700

liner type/style:
3D Cork Fit W Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 35mm
Tri Force Construction
Adjustable Cuff Profile (ACP)
Easy Entry Soft Flap

SPEEDMACHINE 3 95 W GW

050G23 00 047 anthracite / black / green



soles:
Gripwalk® soles

last (mm)	flex
100	85
size range	g/MP 24,5
22,0-27,5	1700

liner type/style:
3D Performance Fit W Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 35mm
Tri Force Construction
Adjustable Cuff Profile (ACP)
Easy Entry Soft Flap

SPEEDMACHINE 3 85 W GW

050G27 00 541 black / anthracite / white



soles:
Gripwalk® soles

last (mm)	flex
100	85
size range	g/MP 24,5
22,0-27,5	1700

liner type/style:
3D Performance Fit W Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 35mm
Tri Force Construction
Adjustable Cuff Profile (ACP)
Easy Entry Soft Flap

SPEEDMACHINE 3 85 W GW

050G27 00 269 white / black / anthracite



ALL MOUNTAIN / HIGH PERFORMANCE / SPORTMACHINE



soles:
Gripwalk® soles

last (mm) **flex**
102 130

size range **g/MP 26,5**
24,5-32,5 1980

liner type/style:
3D Cork Fit Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 45 mm
Adjustable Cuff Profile (ACP)
Tri Force Construction
Easy Entry Soft Flap



SPORTMACHINE 3 130 GW

050T02 00 7T1 black / anthracite / red



soles:
Gripwalk® soles

last (mm) **flex**
102 120

size range **g/MP 26,5**
24,5-32,5 1980

liner type/style:
3D Cork Fit Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 45 mm
Adjustable Cuff Profile (ACP)
Tri Force Construction
Easy Entry Soft Flap



SPORTMACHINE 3 120 GW

050T04 00 M99 anthracite / black / red



soles:
Gripwalk® soles

last (mm) **flex**
102 110

size range **g/MP 26,5**
24,5-32,5 1970

liner type/style:
3D Performance Fit
Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 35mm
Adjustable Cuff Profile (ACP)
Tri Force Construction
Easy Entry Soft Flap



SPORTMACHINE 3 110 GW

050T06 00 047 anthracite / black / green



soles:
Gripwalk® soles

last (mm) **flex**
102 100

size range **g/MP 26,5**
24,5-32,5 1900

liner type/style:
Precision Fit Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 35mm
Adjustable Cuff Profile (ACP)
Tri Force Construction
Easy Entry Soft Flap



SPORTMACHINE 3 100 GW

050T10 00 N96 black / grey / red



soles:
5355 Alpine High Traction
soles

last (mm) **flex**
102 90

size range **g/MP 26,5**
24,5-32,5 1700

liner type/style:
Comfort Fit Primaloft®

technologies:
Strap 35mm
Adjustable Cuff Profile (ACP)
Tri Force Construction
Easy Entry Soft Flap



SPORTMACHINE 3 90

050T14 00 7T1 black / anthracite / red



soles:
5355 Alpine High Traction
soles

last (mm)
flex
102 80

size range **g/MP 26,5**
24,5-32,5 1700

liner type/style:
Comfort Fit

technologies:
Strap 35mm
Tri Force Construction
Easy Entry Soft Flap



SPORTMACHINE 3 80

050T18 00 243 anthracite / black / white





soles:
Gripwalk® soles

last (mm)	flex
102	95

size range	g / MP 24,5
22,5-27,5	1780

liner type/style:
3D W Performance Fit Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 35mm
Adjustable Cuff Profile (ACP)
Tri Force Construction
Easy Entry Soft Flap

SPORTMACHINE 3 95 W GW
050T07 00 6R5 black / green / white



soles:
Gripwalk® soles

last (mm)	flex
102	85

size range	g / MP 24,5
22,5-27,5	1780

liner type/style:
Precision Fit W Primaloft®

technologies:
Infrared
Tri-Fit Technology
Strap 35mm
Adjustable Cuff Profile (ACP)
Tri Force Construction
Easy Entry Soft Flap

SPORTMACHINE 3 85 W GW
050T11 00 9G1 black / bronze / white



OPTION

soles:
5355 Alpine High Traction soles

last (mm)	flex
102	75

size range	g / MP 24,5
22,5-27,5	1580

liner type/style:
Comfort Fit W Primaloft®

technologies:
Strap 35mm
Adjustable Cuff Profile (ACP)
Tri Force Construction
Easy Entry Soft Flap

SPORTMACHINE 3 75 W
050T15 00 3A9 black / anthracite / rose



OPTION

soles:
5355 Alpine High Traction soles

last (mm)	flex
102	65

size range	g / MP 24,5
22,5-27,5	1580

liner type/style:
Comfort Fit W

technologies:
Strap 35mm
Tri Force Construction
Easy Entry Soft Flap

SPORTMACHINE 3 65 W
050T19 00 541 black / anthracite / white





UNLIMITED.

WHERE BOUNDARIES DON'T EXIST.



find out more





NEW

GRIP WALK

soles:
Gripwalk Michelin® + soles Dynafit® inserts

last (mm) **flex**
99 130

size range **g/MP 26,5**
22,5-30,5 1480

liner type/style:
3D Light Performance Fit TF

technologies:
Infrared
Tri-Fit Technology
Hike Mechanism
50 mm Power Strap + quick release
Tri Force Construction

UNLIMITED LT 130 DYN

050P30 00 4R1 avio/ black / red



NEW

GRIP WALK

soles:
Gripwalk PU + soles Dynafit® inserts

last (mm) **flex**
99 130

size range **g/MP 26,5**
22,5-31,0 1680

liner type/style:
3D Cork Fit Primaloft® Light

technologies:
Infrared
Tri-Fit Technology
Hike Mechanism
50 mm Power Strap + quick release
Tri Force Construction

UNLIMITED 130 DYN

050P34 00 4R3 black / irid green / red



NEW

GRIP WALK

soles:
Gripwalk PU + soles Dynafit® inserts

last (mm) **flex**
99 120

size range **g/MP 26,5**
22,5-30,5 1680

liner type/style:
3D Cork Fit Primaloft® Light

technologies:
Infrared
Tri-Fit Technology
Hike Mechanism
Power Strap 45 mm
Tri Force Construction

UNLIMITED 120 DYN

050P36 00 4R4 green / black / red



NEW

BELLES

GRIP WALK

soles:
Gripwalk Michelin® + soles Dynafit® inserts

last (mm) **flex**
99 115

size range **g/MP 24,5**
22,5-27,5 1390

liner type/style:
3D Light Performance Fit TF W

technologies:
Infrared
Tri-Fit Technology
Hike Mechanism
50 mm Power Strap + quick release
Tri Force Construction

UNLIMITED LT 115W DYN

050P31 00 4R2 avio/ black / light blue



NEW

BELLES

GRIP WALK

soles:
Gripwalk PU + soles Dynafit® inserts

last (mm) **flex**
99 115

size range **g/MP 24,5**
22,5-27,5 1530

liner type/style:
3D Cork Fit W Primaloft® Light

technologies:
Infrared
Tri-Fit Technology
Hike Mechanism
50 mm Power Strap + quick release
Tri Force Construction

UNLIMITED 105 W DYN

050P37 00 4R5 black / irid purple / red



NEW

BELLES

GRIP WALK

soles:
Gripwalk PU + soles Dynafit® inserts

last (mm) **flex**
99 95

size range **g/MP 24,5**
22,5-27,5 1530

liner type/style:
3D Cork Fit W Primaloft® Light

technologies:
Infrared
Tri-Fit Technology
Hike Mechanism
Power Strap 45mm
Tri Force Construction

UNLIMITED 95 W DYN

050P39 00 4R6 light green / black / light blue





soles:
Gripwalk® soles

last (mm) **flex**
102 120

size range **g/MP 26,5**
24,0-31,0 1850

liner type/style:
HF 3D Cork Fit Primaloft®
Performance

technologies:
Infrared
Instep Volume Control (IVC)
Double Axis Pivot
45mm Power Driver Strap
Hands Free Step In & Out
Monolock Buckle

HF PRO 120 GW
050K06 00 741 black / red



soles:
Michelin® Gripwalk® soles

last (mm) **flex**
102 110

size range **g/MP 26,5**
24,0-31,0 1890

liner type/style:
HF Bluetooth 3D Cork Fit
Primaloft® HEAT

technologies:
Infrared
Instep Volume Control (IVC)
Double Axis Pivot
Hands Free Step In & Out
Monolock Buckle

HF ELITE HEAT GW
050K02 00 100 black



soles:
Gripwalk® soles

last (mm) **flex**
102 110

size range **g/MP 26,5**
24,0-31,0 1760

liner type/style:
HF 3D Cork Fit Primaloft®

technologies:
Infrared
Instep Volume Control (IVC)
Double Axis Pivot
Hands Free Step In & Out
Monolock Buckle

HF 110 GW
050K12 00 3F1 black / anthracite / red



soles:
5355 Alpine High Traction
double density PU

last (mm) **flex**
102 100

size range **g/MP 26,5**
24,0-31,0 1750

liner type/style:
HF 3D Performance Fit
Primaloft®

technologies:
Infrared
Instep Volume Control (IVC)
Double Axis Pivot
Hands Free Step In & Out
Monolock Buckle

HF 100
050K18 00 M99 anthracite / black / red



soles:
Gripwalk® soles

last (mm) **flex**
102 90

size range **g/MP 26,5**
24,0-31,0 1750

liner type/style:
HF 3D Hygienical
Comfort Fit

technologies:
Infrared
Instep Volume Control (IVC)
Double Axis Pivot
Hands Free Step In & Out
Monolock Buckle

HF 90 R GW
050K30 00 3F1 black / red / anthracite



soles:
Michelin® Gripwalk® soles

last (mm) **flex**
102 85

size range **g/MP 26,5**
23,0-27,5 1900

liner type/style:
HF Bluetooth 3D Cork Fit
W Primaloft® HEAT

technologies:
Infrared
Instep Volume Control (IVC)
Double Axis Pivot
Hands Free Step In & Out
Monolock Buckle

HF ELITE HEAT W GW
050K03 00 100 black



soles:
Gripwalk® soles

last (mm) **flex**
102 85

size range **g/MP 24,5**
23,0-27,5 1750

liner type/style:
HF 3D Cork Fit W
Primaloft®

technologies:
Infrared
Instep Volume Control (IVC)
Double Axis Pivot
Hands Free Step In & Out
Monolock Buckle

HF 85 W GW
050K13 00 731 black / anthracite / green



soles:
5355 Alpine High Traction
double density PU

last (mm) **flex**
102 75

size range **g/MP 24,5**
23,0-27,5 1580

liner type/style:
HF 3D Performance Fit W
Primaloft®

technologies:
Infrared
Instep Volume Control (IVC)
Double Axis Pivot
Hands Free Step In & Out
Monolock Buckle

HF 75 W
050K19 00 3C2 black / pearl black / pink





soles:
Gripwalk® soles

last (mm) **flex**
102 75

size range **g/MP 24,5**
23,0-27,5 1740

liner type/style:
HF 3D Hygienical
Comfort Fit W

technologies:
Infrared
Instep Volume Control (IVC)
Double Axis Pivot
Hands Free Step In & Out
Monolock Buckle

HF 75 WR GW

050K31 GO 7T6 black / white / light blue



soles:
Gripwalk® soles

last (mm) **flex**
104 120

size range **g/MP 26,5**
24,0-32,5 1940

liner type/style:
Performance Fit
Primaloft®

technologies:
Instep Volume Control (IVC)
Adjustable Cuff Profile (ACP)
Strap 35mm
Full Alu Micro Buckles
Easy Entry Soft Flap

THE CRUISE 120 GW

050640 02 7T1 black / anthracite / red



soles:
5355 Alpine High Traction
soles

last (mm) **flex**
104 100

size range **g/MP 26,5**
24,0-32,5 1660

liner type/style:
Comfort Fit

technologies:
Instep Volume Control (IVC)
Adjustable Cuff Profile (ACP)
Strap 35mm
Full Alu Micro Buckles
Easy Entry Soft Flap

THE CRUISE 100

050650 02 243 anthracite / black / white



soles:
5355 Alpine High Traction
soles

last (mm) **flex**
104 80

size range **g/MP 26,5**
24,0-32,5 1590

liner type/style:
Comfort Fit

technologies:
Instep Volume Control (IVC)
Strap 35mm
Full Alu Micro Buckles
Easy Entry Soft Flap

THE CRUISE 80

050660 02 7T1 black / anthracite / red



soles:
5355 Alpine High Traction
soles

last (mm) **flex**
104 75

size range **g/MP 24,5**
22,5-27,5 1550

liner type/style:
Comfort Fit W

technologies:
Instep Volume Control (IVC)
Adjustable Cuff Profile (ACP)
Strap 35mm
Full Alu Micro Buckles
Easy Entry Soft Flap

THE CRUISE 75 W

050652 02 4D1 pearl black / white / gold



soles:
5355 Alpine High Traction
soles

last (mm) **flex**
104 65

size range **g/MP 24,5**
22,5-27,5 1480

liner type/style:
Comfort Fit W

technologies:
Instep Volume Control (IVC)
Strap 35mm
Full Alu Micro Buckles
Easy Entry Soft Flap

THE CRUISE 65 W

050670 02 Q04 black / white / green



soles:
5355 Alpine High Traction
soles

last (mm) **flex**
104 50

size range **g/MP 24,5**
24,0-31,5 1500

liner type/style:
Comfort Fit

technologies:
Instep Volume Control (IVC)
Velcro 35mm
Full Alu Micro Buckles
Easy Entry Soft Flap

TREND 3

050718 00 6R5 black / green / white



soles:
5355 Alpine High Traction
soles

last (mm) **flex**
104 45

size range **g/MP 24,5**
22,5-27,5 1400

liner type/style:
Comfort Fit

technologies:
Instep Volume Control (IVC)
Velcro 35mm
Full Alu Micro Buckles
Easy Entry Soft Flap

TREND 3 W

050719 00 798 black / light blue / white



GRIP WALK
OPTION

soles:
5355 High Traction soles

last (mm)	flex
100	55

size range g/MP 25,5
19,0-27,5 1400

liner type/style:
Comfort Fit

technologies:
Strap 25 mm
Micro Adj Buckles

SPEEDMACHINE J4

050734 00 7T1 black / anthracite / red

FULL
TRIAx



GRIP WALK
OPTION

soles:
5355 High Traction soles

last (mm)	flex
-	45

size range g/MP 21,5
20,0-26,5 860

liner type/style:
Comfort Fit

technologies:
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

SPEEDMACHINE J3

050860 00 7T1 black / anthracite / red

FULL
TRIAx



GRIP WALK
OPTION

soles:
5355 High Traction soles

last (mm)	flex
-	45

size range g/MP 18,5
16,5-23,5 710

liner type/style:
Comfort Fit

technologies:
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

SPEEDMACHINE J2

050862 00 7T1 black / anthracite / red

FULL
TRIAx



soles:
5355 High Traction soles

last (mm)	flex
-	25

size range g/MP 16,0
14,5-19,5 680

liner type/style:
Comfort Fit

technologies:
Ratchet
Single Buckle

SPEEDMACHINE J1

050864 00 7T1 black / anthracite / red



BELLES
GRIP WALK
OPTION

soles:
5355 High Traction soles

last (mm)	flex
100	55

size range g/MP 25,5
19,0-27,5 1400

liner type/style:
Comfort Fit

technologies:
Strap 25 mm
Micro Adj Buckles

SPEEDMACHINE J4 GIRL

050736 00 3L4 light blue / white / pink

FULL
TRIAx



BELLES
GRIP WALK
OPTION

soles:
5355 High Traction soles

last (mm)	flex
-	45

size range g/MP 21,5
20,0-26,5 860

liner type/style:
Comfort Fit

technologies:
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

SPEEDMACHINE J3 GIRL

050870 01 3L4 light blue / white / pink

FULL
TRIAx



BELLES
GRIP WALK
OPTION

soles:
5355 High Traction soles

last (mm)	flex
-	45

size range g/MP 18,5
16,5-23,5 710

liner type/style:
Comfort Fit

technologies:
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

SPEEDMACHINE J2 GIRL

050872 01 3L4 light blue / white / pink

FULL
TRIAx



BELLES

soles:
5355 High Traction soles

last (mm)	flex
-	25

size range g/MP 16,0
14,5-19,5 680

liner type/style:
Comfort Fit

technologies:
Ratchet
Single Buckle

SPEEDMACHINE J1 GIRL

050874 01 3L4 light blue / white / pink



NEW

**GRIP
WALK
OPTION**

soles:
5355 High Traction soles

last (mm)	flex
100	60
size range	g/ MP 25,5
19,0-27,5	1420

liner type/style:
Comfort Fit

technologies:
Strap 25 mm
Micro Adj Buckles


DOBERMANN 60
050732 01 T80 black / anthracite

FULL
TRIAx





find out more



DOUBLE CORE


THE BIRTH OF A REVOLUTION

Yet when we began developing our Double Core technology, we didn't anticipate that it could transform skiing across the globe.


Initially, the Nordica ski development team—led by Product Manager Florian Seer—aimed to reimagine how a women's ski could perform. This led Nordica's research and development team to divide the wood core—the soul of the ski—into two layers and embed an elastomer Pulse Core between them. This dampened vibrations to create a smooth yet powerful ride that boosted confidence.

PERFECT COMBINATION


We've since expanded the use of our Double Core technology, reimagining iconic models by enhancing their performance even further. And while the design and construction of each model is tailored to its specific needs, these skis are united by a common vision—a commitment to amplifying fun.





ENERGY 2 TI DC
RACE PERFORMANCE



ENERGY TI DC
VERSATILE PERFORMANCE



ENERGY DC
INTUITIVE PERFORMANCE



- ⓪ Titanal
- ⓪ Woodcore
- ⓪ Pulse Core
- ⓪ Woodcore
- ⓪ Titanal

- ⓪ Woodcore
- ⓪ Titanal
- ⓪ Pulse Core
- ⓪ Woodcore

- ⓪ Woodcore
- ⓪ Pulse Core
- ⓪ Woodcore

DOBERMANN DOUBLE CORE



**DOBERMANN
GSR DC FDT**

black / red
OA3522 KB 001
Xcell 14 FDT

sizes:

170 · 175 · 180 · 185

sidecut (by size):

113,5-69-96,5 (170-175) ·
114-69-97 (180-185)

radius (by size):

17,5 (170) · 18,5 (175) ·
19,5 (180) · 20,5 (185)

DIN setting:

4-14 TCX

system:


FDT Race Plate Pro N

ski construction:

Energy 2 TI Double Core

camRock:

Full Camber Profile



**DOBERMANN
SLR DC FDT**

black / red
OA3526 KB 001
Xcell 14 FDT

sizes:

155 · 160 · 165 · 170

sidecut (by size):

119-69-103 (155-160) ·
120-69-104 (165-170)

radius (by size):

11,5 (155) · 12,5 (160) ·
13 (165) · 14 (170)

DIN setting:

4-14 TCX

system:


FDT Race Plate Pro N

ski construction:

Energy 2 TI Double Core

camRock:

Full Camber Profile



**DOBERMANN
MULTIGARA DC RACE**

black / red
OA3521 CD 001
X-Comp 14 GW

sizes:

170 · 175 · 180

sidecut (by size):

121-70-101 (170-175) · 122-70-102 (180)

radius (by size):

15 (170) · 16 (175) · 16,6 (180)

DIN setting:

4-14 TCX

system:


Race Plate Pro N

ski construction:

Energy 2 TI Double Core

camRock:

Full Camber Profile



**DOBERMANN
MULTIGARA DC FDT**

black / red
OA3524 KB 001
Xcell 14 FDT

sizes:

160 · 165 · 170 · 175 · 180

sidecut (by size):

118,5-70-98,5 (160) · 119-70-99 (165) ·
121-70-101 (170-775) · 122-70-102 (180)

radius (by size):

14 (160) · 14,8 (165) · 15 (170) ·
16 (175) · 16,6 (180)

DIN setting:

4-14 TCX

system:


FDT Race Plate Pro N

ski construction:

Energy 2 TI Double Core

camRock:

Full Camber Profile



DOBERMANN



**DOBERMANN
GSC FDT**

grey / red
0A3528 NA 001
TPX 12 FDT

- sizes:**
170 · 175 · 180
- sidecut (by size):**
113,5-69-96,5 (170-175) ·
114-69-97 (180)
- radius (by size):**
17,5 (170) · 18,5 (175) · 19,5 (180)
- DIN setting:**
4-12 TC
- system:**
FDT Race Plate N
- ski construction:**
Energy CA
- camRock:**
Full Camber Profile

RENTAL
READY



**DOBERMANN
SLC FDT**

grey / red
0A3530 NA 001
TPX 12 FDT

- sizes:**
155 · 160 · 165 · 170
- sidecut (by size):**
119-69-103 (155-160) ·
120-69-104 (165-170)
- radius (by size):**
11,5 (155) · 12,5 (160) ·
13 (165) · 14 (170)
- DIN setting:**
4-12 TC
- system:**
FDT Race Plate N
- ski construction:**
Energy CA
- camRock:**
Full Camber Profile

RENTAL
READY



SPITFIRE DOUBLE CORE



**SPITFIRE
DC 80 PRO FDT**

grey / red
0A3531 LB 001
 Xcell 12 FDT

sizes:
 162 · 168 · 174 · 180

sidecut (by size):
 128-80-108 (162) ·
 130-80-110 (168-180)


radius (by size):
 14,5 (162) · 15 (168) ·
 16 (174) · 17 (180)

DIN setting:
 4-12 TCX

system:
 FDT Race Plate N

ski construction:
 Energy TI Double Core

camRock:
 Full Camber Profile



**SPITFIRE
DC 74 PRO FDT**

grey / red
0A3532 LB 001
 Xcell 12 FDT

sizes:
 160 · 165 · 170 · 175 · 180

sidecut (by size):
 121,5-74-101,5 (160) · 122-74-102 (165) ·
 124-74-104 (170-175) · 125-74-105 (180)


radius (by size):
 14,5 (160) · 15,3 (165) · 15,5 (170) ·
 16,5 (175) · 17,1 (180)

DIN setting:
 4-12 TCX

system:
 FDT Race Plate N

ski construction:
 Energy TI Double Core

camRock:
 Full Camber Profile



**SPITFIRE
DC 68 PRO FDT**

grey / red
0A3534 LB 001
 Xcell 12 FDT

sizes:
 160 · 165 · 170 · 175 · 180

sidecut (by size):
 116,5-68-96,5 (160) · 117-68-97 (165) ·
 119-68-99 (170-175) · 120-68-100 (180)

radius (by size):
 14 (160) · 14,8 (165) · 15 (170) ·
 16 (175) · 16,8 (180)

DIN setting:
 4-12 TCX

system:
 FDT Race Plate N

ski construction:
 Energy TI Double Core

camRock:
 Full Camber Profile



**SPITFIRE
74 DC FDT**

red / anthracite
0A3536 NB 001
 TPX 12 FDT

sizes:
 160 · 165 · 170 · 175

sidecut (by size):
 121,5-74-101,5 (160) · 122-74-102 (165) ·
 124-74-104 (170-175)

radius (by size):
 14,5 (160) · 15,3 (165) ·
 15,5 (170) · 16,5 (175)

DIN setting:
 4-12 TC

system:
 FDT Race Plate N

ski construction:
 Energy Double Core

camRock:
 Full Camber Profile





**SPITFIRE
68 DC FDT**

red / anthracite
OA3538 NB 001
 TPX 12 FDT

sizes:

160 · 165 · 170 · 175

sidecut (by size):

116,5-68-96,5 (160) · 117-68-97 (165) ·
 119-68-99 (170-175)

radius (by size):

14 (160) · 14,8 (165) ·
 15 (170) · 16 (175)

DIN setting:

4-12 TC

system:

FDT Race Plate N

ski construction:

Energy Double Core

camRock:

Full Camber Profile



SPITFIRE



**SPITFIRE
TI FDT**

red / anthracite
OA3540 OD 001
TP2 Light 11 FDT

- sizes:**
150 · 156 · 162 · 168 · 174
- sidecut (by size):**
116-70-96 (150) · 118-70-98 (156)
119-71-99 (162-168) · 121-71-101 (174)
- radius (by size):**
12,5 (150) · 13,5 (156) · 14,5 (162) ·
15 (168) · 16 (174)
- DIN setting:**
3-11 TC
- system:**
FDT Race Plate N
- ski construction:**
Energy TI
- camRock:**
Full Camber Profile

RENTAL
READY



**SPITFIRE
CA FDT**

anthracite / red
OA3541 SA 001
TP2 Compact 10 FDT

- sizes:**
150 · 156 · 162 · 168 · 174
- sidecut (by size):**
116-70-96 (150) · 118-70-98 (156)
119-71-99 (162-168) · 121-71-101 (174)
- radius (by size):**
12,5 (150) · 13,5 (156) · 14,5 (162) ·
15 (168) · 16 (174)
- DIN setting:**
3-10 ML
- system:**
FDT Demo Plate
- ski construction:**
Energy CA
- camRock:**
Full Camber Profile

RENTAL
READY



**SPITFIRE
75 FDT**

anthracite / white
OA3542 SA 001
TP2 Compact 10 FDT

- sizes:**
144 · 150 · 156 · 162 · 168 · 174
- sidecut (by size):**
123-75-103 (144-150) ·
124-75-104 (156-162) ·
125-75-105 (168-174)
- radius (by size):**
11 (144) · 12 (150) · 12,5 (156) ·
13,5 (162) · 14,5 (168) · 15,5 (174)
- DIN setting:**
3-10 ML
- system:**
FDT Demo Plate
- ski construction:**
Composite Wood Partial SW
- camRock:**
On Piste Profile

RENTAL
READY



**SPITFIRE
73 FDT**

anthracite / red
OA3544 SA 001
TP2 Compact 10 FDT

- sizes:**
144 · 150 · 156 · 162 · 168 · 174
- sidecut (by size):**
119-73-96 (144) · 121-73-98 (150) ·
122,5-73-100 (156) · 123,5-73-101 (162) ·
124-73-101 (168) · 124,5-73-102 (174)
- radius (by size):**
12 (144) · 12,5 (150) · 13 (156) ·
13,7 (162) · 14,6 (168) · 15,5 (174)
- DIN setting:**
3-10 ML
- system:**
FDT Demo Plate
- ski construction:**
Composite Wood
- camRock:**
On Piste Profile

RENTAL
READY


BELLE DOUBLE CORE



**BELLE
SL DC FDT**

black / silver
OA3550 OB 001
TP2 Light 11 FDT

sizes:
150 · 155 · 160 · 165
sidecut (by size):
118-69-102 (150) ·
119-69-103 (155-160) ·
120-69-104 (165)
radius (by size):
11 (150) · 11,5 (155) ·
12,5 (160) · 13 (165)
DIN setting:
3-11 TC
system:
FDT Race Plate N
ski construction:
Energy TI Double Core
camRock:
Full Camber Profile



**WILD BELLE
DC 84**

black / teal
OA3552 OC 001
TP2 Light 11 FDT

sizes:
144 · 150 · 156 · 162 · 168
sidecut (by size):
130-84-109 (144) · 131-84-110 (150) ·
132-84-111 (156) · 133-84-112 (162) ·
134-84-113 (168)
radius (by size):
11,5 (144) · 12,2 (150) · 12,8 (156) ·
13,7 (162) · 14,5 (168)
DIN setting:
3-11 TC
system:
FDT HP Free Demo Plate Short
ski construction:
Energy Double Core
camRock:
On Piste Rocker



**BELLE
DC 78**

black / teal
OA3554 OC 001
TP2 Light 11 FDT

sizes:
138 · 144 · 150 · 156 · 162 · 168
sidecut (by size):
123-78-102 (138) · 124-78-103 (144) ·
125-78-104 (150) · 126-78-105 (156) ·
127-78-106 (162) · 128-78-107 (168)
radius (by size):
10,7 (138) · 11,5 (144) · 12,2 (150) ·
12,8 (156) · 13,7 (162) · 14,5 (168)
DIN setting:
3-11 TC
system:
FDT HP Free Demo Plate Short
ski construction:
Energy Double Core
camRock:
On Piste Rocker



**BELLE
DC 72**

black / teal
OA3556 OC 001
TP2 Light 11 FDT

sizes:
138 · 144 · 150 · 156 · 162 · 168
sidecut (by size):
117-72-96 (138) · 118-72-97 (144) ·
119-72-98 (150) · 120-72-99 (156) ·
121-72-100 (162) · 122-72-101 (168)
radius (by size):
10,7 (138) · 11,5 (144) · 12,2 (150) ·
12,8 (156) · 13,7 (162) · 14,5 (168)
DIN setting:
3-11 TC
system:
FDT HP Free Demo Plate Short
ski construction:
Energy Double Core
camRock:
On Piste Rocker





**WILD BELLE
78 CA**

anthracite / aqua
0A3558 SA 001
TP2 Compact 10 FDT

sizes:
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size):
123-78-102 (138) · 124-78-103 (144) ·
125-78-104 (150) · 126-78-105 (156) ·
127-78-106 (162) · 128-78-107 (168)

radius (by size):
10,7 (138) · 11,5 (144) · 12,2 (150) ·
12,8 (156) · 13,7 (162) · 14,5 (168)

DIN setting:
3-10 ML

system:
FDT Free Demo Plate Short

ski construction:
Energy CA

camRock:
On Piste Rocker



**BELLE
72 CA**

grey / gold
0A3560 SA 001
TP2 Compact 10 FDT

sizes:
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size):
117-72-96 (138) · 118-72-97 (144) ·
119-72-98 (150) · 120-72-99 (156) ·
121-72-100 (162) · 122-72-101 (168)

radius (by size):
10,7 (138) · 11,5 (144) · 12,2 (150) ·
12,8 (156) · 13,7 (162) · 14,5 (168)

DIN setting:
3-10 ML

system:
FDT Free Demo Plate Short

ski construction:
Energy CA

camRock:
On Piste Rocker



**BELLE
75**

turquoise / white
0A3562 SA 001
TP2 Compact 10 FDT

sizes:
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size):
123-75-103 (144-150) ·
124-75-104 (156-162) ·
125-75-105 (168)

radius (by size):
10 (138) · 11 (144) · 12 (150) ·
12,5 (156) · 13,5 (162) · 14,5 (168)

DIN setting:
3-10 ML

system:
FDT Free Demo Plate Short

ski construction:
Composite Wood Partial SW

camRock:
On Piste Rocker



**WILD BELLE
74**

grey / white
0A3564 SA 001
TP2 Compact 10 FDT

sizes:
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size):
123-75-103 (144-150) ·
124-75-104 (156-162) ·
125-75-105 (168)

radius (by size):
10 (138) · 11 (144) · 12 (150) ·
12,5 (156) · 13,5 (162) · 14,5 (168)

DIN setting:
3-10 ML

system:
FDT Free Demo Plate Short

ski construction:
Composite Wood Partial SW

camRock:
On Piste Rocker





**BELLE
73**

grey / aqua
OA3566 SA 001
TP2 Compact 10 FDT

sizes:
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size):
117-73-94 (138) · 119-73-96 (144) ·
121-73-98 (150) · 122,5-73-100 (156) ·
123,5-73-101 (162) · 124-73-101 (168)

radius (by size):
11,5 (138) · 12 (144) · 12,5 (150) ·
13 (156) · 13,7 (162) · 14,6 (168)

DIN setting:
3-10 ML

system:
FDT Free Demo Plate Short

ski construction:
Composite Wood

camRock:
On Piste Rocker



**STEADFAST
85 DC FDT**

black / red
OA3570 NB 001
TPX 12 FDT

sizes:
162 · 168 · 174 · 179

sidecut (by size):
133-84-112 (162) · 134-84-113 (168) ·
136-85-115 (174) · 137-85-116 (179)

radius (by size):
13,7 (162) · 14,5 (168) ·
15,3 (174) · 15,8 (179)

DIN setting:
4-12 TC

system:
FDT HP Free Demo Plate

ski construction:
Energy TI Double Core

camRock:
On Piste Rocker



**STEADFAST
80 CA FDT**

black / silver
OA3572 OB 001
TP2 Light 11 FDT

sizes:
156 · 162 · 168 · 174

sidecut (by size):
126-78-105 (156) · 127-78-106 (162) ·
128-78-107 (168) · 131-80-110 (174)

radius (by size):
12,8 (156) · 13,7 (162) ·
14,5 (168) · 15,3 (174)

DIN setting:
3-11 TC

system:
FDT Free Demo Plate

ski construction:
Energy CA

camRock:
On Piste Rocker



**STEADFAST
75 CA FDT**

blue / red
OA3573 SA 001
TP2 Compact 10 FDT

sizes:
150 · 156 · 162 · 168 · 174

sidecut (by size):
123-75-103 (150) ·
124-75-104 (156-162) ·
125-75-105 (168-174)

radius (by size):
12 (150) · 12,5 (156) · 13,5 (162) ·
14,5 (168) · 15,5 (174)

DIN setting:
3-10 ML

system:
FDT Free Demo Plate

ski construction:
Composite Wood Partial SW

camRock:
On Piste Rocker



**ENFORCER
UNLIMITED 104**

blue / grey
0A2290 00 001

sizes:
165 · 172 · 179 · 186 · 191

sidecut (by size):
133-104-122 (165) ·
134-104-123 (172) ·
134,5-104-123,5 (179) ·
135-104-124 (186-191)

radius (by size):
16 (165) · 16,5 (172) · 17,5 (179) ·
18,5 (186) · 19,5 (191)

ski construction:
Carbon SW

camRock:
Powder Rocker Profile



**ENFORCER
UNLIMITED 94**

red / grey
0A2291 00 001

sizes:
158 · 165 · 172 · 179 · 186

sidecut (by size):
125-93-112 (158) ·
125,5-94-112,5 (165) ·
126,5-94-114,5 (172) ·
127-94-115,5 (179) ·
127,5-94-115,5 (186)

radius (by size):
14,4 (158) · 15,5 (165) · 16,1 (172) ·
17,1 (179) · 18,2 (186)

ski construction:
Carbon SW

camRock:
All Mountain Rocker Profile



**ENFORCER
UNLIMITED 88**

sand / grey
0A2292 00 001

sizes:
158 · 165 · 172 · 179

sidecut (by size):
118,5-88-106,5 (158) ·
119-88-107 (165) ·
121-88-109 (172) ·
121,5-88-109,5 (179)

radius (by size):
14 (158) · 15 (165) ·
15,5 (172) · 16,5 (179)

ski construction:
Carbon SW

camRock:
All Mountain Rocker Profile



**SANTA ANA
UNLIMITED 104**

maroon / peach
0A2295 00 001

sizes:
158 · 165 · 172 · 179

sidecut (by size):
132-104-121 (158) ·
133-104-122 (165) ·
134-104-123 (172) ·
134,5-104-123,5 (179)

radius (by size):
15,5 (158) · 16 (165) ·
16,5 (172) · 17,5 (179)

ski construction:
Carbon SW

camRock:
Powder Rocker Profile





**SANTA ANA
UNLIMITED 93**

sage / peach
0A2293 00 001

sizes:
151 · 158 · 165 · 172

sidecut (by size):
124,5-93-111,5 (151) ·
125-93-112 (158) ·
125,5-93-112,5 (165) ·
126,5-93-114,5 (172)

radius (by size):
13,3 (151) · 14,4 (158) ·
15,5 (165) · 16,1 (172)

ski construction:
Carbon SW

camRock:
All Mountain Rocker Profile



**SANTA ANA
UNLIMITED 88**

maroon / smoke
0A2294 00 001

sizes:
151 · 158 · 165 · 172

sidecut (by size):
118-88-106 (151) ·
118,5-88-106,5 (158) ·
119-88-107 (165) ·
121-88-109 (172)

radius (by size):
13 (151) · 14 (158) ·
15 (165) · 15,5 (172)

ski construction:
Carbon SW

camRock:
All Mountain Rocker Profile





**ENFORCER FREE
110 (FLAT)**

black / black
OA3582 00 001

sizes:
169 · 177 · 185 · 191
sidecut (by size):
139-110-128 (169) ·
140-110-129 (177-191)
radius (by size):
15,5 (169) · 16,5 (177) ·
18,5 (185) · 20,5 (191)

ski construction:
Energy 2 TI
camRock:
Powder Rocker Profile



**ENFORCER FREE
104 (FLAT)**

blue / black
OA3583 00 001

sizes:
165 · 172 · 179 · 186 · 191
sidecut (by size):
133-104-122 (165) ·
134-104-123 (172) ·
134,5-104-123,5 (179) ·
135-104-124 (186-191)

radius (by size):
16 (165) · 16,5 (172) ·
17,5 (179) · 18,5 (186) ·
19,5 (191)
ski construction:
Energy 2 TI
camRock:
Powder Rocker Profile



**ENFORCER
100 (FLAT)**

red / black
OA3584 00 001

sizes:
165 · 172 · 179 · 186 · 191
sidecut (by size):
131-100-118 (165) ·
132-100-120 (172) ·
132,5-100-120,5 (179) ·
133-100-121 (186) ·
133,5-100-121,5 (191)

radius (by size):
15,6 (165) · 16,3 (172) ·
17,3 (179) · 18,4 (186) ·
19,4 (191)
ski construction:
Energy 2 TI
camRock:
All Mountain Rocker Profile



**ENFORCER
94 (FLAT)**

grey / red
OA3585 00 001

sizes:
165 · 172 · 179 · 186 · 191
sidecut (by size):
125,5-94-112,5 (165) ·
126,5-94-114,5 (172) ·
127-94-115,5 (179) ·
127,5-94-115,5 (186) ·
128-94-116 (191)

radius (by size):
15,5 (165) · 16,1 (172) ·
17,1 (179) · 18,2 (186) ·
19,1 (191)
ski construction:
Energy 2 TI
camRock:
All Mountain Rocker Profile



**ENFORCER
88 (FLAT)**

blue / grey
0A3586 00 001

sizes:

165 · 172 · 179 · 186

sidecut (by size):

119-88-107 (165) ·

121-88-109 (172) ·

121,5-88-109,5 (179) ·

122-88-110 (186)

radius (by size):

15 (165) · 15,5 (172) ·

16,5 (179) · 17,5 (186)

ski construction:

Energy 2 TI

camRock:

All Mountain Rocker Profile





**SANTA ANA FREE
104 (FLAT)**

teal / rust
0A3588 00 001

sizes:
158 · 165 · 172 · 179

sidecut (by size):
132-104-121 (158) ·
133-104-122 (165) ·
134-104-123 (172) ·
134,5-104-123,5 (179)

radius (by size):
15,5 (158) · 16 (165) ·
16,5 (172) · 17,5 (179)

ski construction:
Energy TI W

camRock:
Powder Rocker Profile



**SANTA ANA
98 (FLAT)**

midnight rose / blue
0A3589 00 001

sizes:
151 · 158 · 165 · 172 · 179

sidecut (by size):
130-98-117 (151) ·
130,5-98-117,5 (158) ·
131-98-118 (165) ·
132-98-120 (172) ·
132,5-98-120,5 (179)

radius (by size):
13,4 (151) · 14,5 (158) · 15,6 (165) ·
16,3 (172) · 17,3 (179)

ski construction:
Energy TI W

camRock:
All Mountain Rocker Profile



**SANTA ANA
93 (FLAT)**

blue / white
0A3590 00 001

sizes:
151 · 158 · 165 · 172 · 179

sidecut (by size):
124,5-93-111,5 (151) ·
125-93-112 (158) ·
125,5-93-112,5 (165) ·
126,5-93-114,5 (172) ·
127-93-115,5 (179)

radius (by size):
13,3 (151) · 14,4 (158) · 15,5 (165) ·
16,1 (172) · 17,1 (179)

ski construction:
Energy TI W

camRock:
All Mountain Rocker Profile



**SANTA ANA
88 (FLAT)**

pink / metallic green
0A3591 00 001

sizes:
151 · 158 · 165 · 172

sidecut (by size):
118-88-106 (151) ·
118,5-88-106,5 (158) ·
119-88-107 (165) ·
121-88-109 (172)

radius (by size):
13 (151) · 14 (158) ·
15 (165) · 15,5 (172)

ski construction:
Energy TI W

camRock:
All Mountain Rocker Profile





**SANTA ANA
84 (FLAT)**

steal / light blue
0A3592 00 001

sizes:

144 · 151 · 158 · 165 · 172

sidecut (by size):

118-84-103 (144) ·
119-84-104 (151) ·
120-84-105 (158-165) ·
123-84-108 (172)

radius (by size):

12 (144) · 13 (151) · 14 (158) ·
15 (165) · 15,5 (172) ·

ski construction:

Energy TI W

camRock:

All Mountain Rocker Profile





**UNLEASHED
114 (FLAT)**

red / black / blue
OA3595 00 001

sizes:

174 · 180 · 186 · 191

sidecut (by size):

144,5-114-133,5 (174) ·
145,5-114-134,5 (180) ·
146-114-135 (186) ·
147-114-136 (191)

radius (by size):

18,8 (174) · 19,4 (180) ·
20,4 (186) · 21,1 (191)

ski construction:

Energy TSM TI

camRock:

Powder Rocker Profile



**UNLEASHED
108 (FLAT)**

silver / black / rust
OA3596 00 001

sizes:

174 · 180 · 186 · 191

sidecut (by size):

139,5-108-128,5 (174) ·
140,5-108-129,5 (180) ·
141-108-130 (186) ·
142-108-131 (191)

radius (by size):

18,3 (174) · 19 (180) ·
19,7 (186) · 20,5 (191)

ski construction:

Energy TSM TI

camRock:

Powder Rocker Profile



**UNLEASHED
98 (FLAT)**

blue / black / silver
OA3597 00 001

sizes:

168 · 174 · 180 · 186

sidecut (by size):

131-98-120 (168) ·
132-98-121 (174) ·
133-98-122 (180) ·
134-98-123 (186)

radius (by size):

16,7 (168) · 17,4 (174) ·
18,1 (180) · 18,8 (186)

ski construction:

Energy TSM TI

camRock:

Powder Rocker Profile



**UNLEASHED
108 (FLAT)**

orange / violet
OA3598 00 001

sizes:

162 · 168 · 174 · 180

sidecut (by size):

137,5-108-126,5 (162) ·
138,5-108-127,5 (168) ·
139,5-108-128,5 (174) ·
140,5-108-129,5 (180)

radius (by size):

16,8 (162) · 17,5 (168) ·
18,3(174) · 19 (180)

ski construction:

Energy TSM TI

camRock:

Powder Rocker Profile





**UNLEASHED
98 (FLAT)**

purple ice / orange
0A3599 00 001

sizes:

156 · 162 · 168 · 174

sidecut (by size):

129-98-118 (156) ·

130-98-119 (162) ·

131-98-120 (168) ·

132-98-121 (174)

radius (by size):

15,3 (156) · 16 (162) ·

16,7 (168) · 17,4 (174)

ski construction:

Energy TSM TI

camRock:

Powder Rocker Profile





UNLEASHED 90 (FLAT)

rust / black / blue
0A3625 00 001

sizes:
 144 · 152 · 160 · 168 · 174
sidecut (by size):
 120-90-109 (144) ·
 121-90-110 (152) ·
 122-90-111 (160) ·
 123-90-112 (168) ·
 124-90-113 (174)
radius (by size):
 13,2 (144) · 14,3 (152) ·
 15,4 (160) · 16,6 (168) ·
 17,4 (174)
ski construction:
 Energy CA
camRock:
 Powder Rocker Profile



UNLEASHED 90 (FLAT)

teal / white / pink
0A3626 00 001

sizes:
 144 · 152 · 160 · 168
sidecut (by size):
 120-90-109 (144) ·
 121-90-110 (152) ·
 122-90-111 (160) ·
 123-90-112 (168)
radius (by size):
 13,2 (144) · 14,3 (152) ·
 15,4 (160) · 16,6 (168)
ski construction:
 Energy CA
camRock:
 Powder Rocker Profile



ENFORCER 80 S (FLAT)

red / black
0A3627 00 001

sizes:
 120 · 130 · 140 ·
 150 · 160
sidecut (by size):
 105,5-78-90,5 (120) ·
 108-78-93 (130) ·
 111,5-78-96,5 (140) ·
 114-80-99 (150) ·
 116,5-80-101,5 (160)
radius (by size):
 11,5 (120) · 12,5 (130) ·
 13 (140) · 14 (150) ·
 15 (160)
ski construction:
 Energy CA
camRock:
 All Mountain Rocker Profile



SANTA ANA 80 S (FLAT)

pink / metallic green
0A3628 00 001

sizes:
 120 · 130 · 140 ·
 150 · 160
sidecut (by size):
 105,5-78-90,5 (120) ·
 108-78-93 (130) ·
 111,5-78-96,5 (140) ·
 114-80-99 (150) ·
 116,5-80-101,5 (160)
radius (by size):
 11,5 (120) · 12,5 (130) ·
 13 (140) · 14 (150) ·
 15 (160)
ski construction:
 Energy CA
camRock:
 All Mountain Rocker Profile



UNLEASHED J FDT

blue / red
0A3612 MG 001
 JR 7.0 FDT WB

sizes:
 108 · 118 · 128 · 138 · 148
sidecut (by size):
 99-72-90 (108) ·
 105-74-96 (118-128) ·
 109-76-99 (138-148)
radius (by size):
 8 (108) · 9 (118) · 11 (128) ·
 12 (138) · 14 (108)
DIN setting:
 2-7 EPS
system:
 FDT JR RTL S + RS (108-118) ·
 FDT JR RTL L + RS (128-148)
ski construction:
 Composite Partial SW
camRock:
 Twin Rocker Profile



**DOBERMANN
COMBI PRO S**

black / red
OA3610 ME 001 JR 7.0 FDT (sizes 100-162)
OA3611 MF 001 JR 4.5 FDT (sizes 100-130)

sizes:
 100 · 110 · 120 · 130 · 140 · 150 · 162 (7.0 FDT)
 100 · 110 · 120 · 130 (4.5 FDT)

sidecut (by size):
 104-69-91 (100) · 106-69-91 (110) ·
 111-69-91 (120) · 113-69-93 (130) ·
 116-70-96 (140) · 118-70-98 (150) ·
 119-71-99 (162)

radius (by size):
 7 (100) · 8 (110) · 9 (120) · 10 (130) ·
 11 (140) · 12 (150) · 14,5 (162)

DIN setting:
 2-7 EPS (7.0 FDT) ·
 0,75-4,5 EPS (4.5 FDT)

system:
 FDT JR RTL S + RS (100-110) ·
 FDT JR RTL L + RS (120-162)

ski construction:
 Energy CA

camRock:
 Full Camber Profile



**TEAM
AM FDT**

red / black
OA2337 ME 001 JR 7.0 FDT (sizes 110-150)
OA2338 MF 001 JR 4.5 FDT (sizes 100-140)
OA2339 MF 001 JR 4.5 FDT (sizes 70-90)

sizes:
 110 · 120 · 130 · 140 · 150 (OA2337 ME)
 100 · 110 · 120 · 130 · 140 (OA2338 MF)
 70 · 80 · 90 (OA2339 MF)

sidecut (by size):
 102-67-89 (70-90) · 104-67-93 (100-110) ·
 106-67-95 (120-140) · 113-70-99 (150)

radius (by size):
 3 (70) · 4 (80) · 5 (90) ·
 6 (100) · 7 (110) · 8 (120) ·
 10 (130) · 12 (140) · 13 (150)

DIN setting:
 2-7 EPS (7.0 FDT) ·
 0,75-4,5 EPS (4.5 FDT)

system:
 FDT JR RTL S + RS (70-110) ·
 FDT JR RTL L + RS (120-150)

ski construction:
 Composite

camRock:
 On Piste Rocker Profile

RENTAL
READY



**TEAM
G FDT**

teal / white / pink
OA2341 ME 001 JR 7.0 FDT (sizes 110-140)
OA2342 MF 001 JR 4.5 FDT (sizes 100-140)
OA2343 MF 001 JR 4.5 FDT (sizes 70-90)

sizes:
 110 · 120 · 130 · 140 (OA2341 ME)
 100 · 110 · 120 · 130 · 140 (OA2342 MF)
 70 · 80 · 90 (OA2343 MF)

sidecut (by size):
 102-67-89 (70-90) · 104-67-93 (100-110) ·
 106-67-95 (120-140)

radius (by size):
 3 (70) · 4 (80) · 5 (90) ·
 6 (100) · 7 (110) · 8 (120) ·
 10 (130) · 12 (140)

DIN setting:
 2-7 EPS (7.0 FDT) ·
 0,75-4,5 EPS (4.5 FDT)

system:
 FDT JR RTL S + RS (70-110) ·
 FDT JR RTL L + RS (120-140)

ski construction:
 Composite

camRock:
 On Piste Rocker Profile

RENTAL
READY



**TEAM
JR FDT**

grey / red
OA1344 ME 001 JR 7.0 FDT (sizes 110-150)
OA1345 MF 001 JR 4.5 FDT (sizes 100-140)
OA1346 MF 001 JR 4.5 FDT (sizes 70-90)

sizes:
 110 · 120 · 130 · 140 · 150 (OA1344 ME)
 100 · 110 · 120 · 130 · 140 (OA1345 MF)
 70 · 80 · 90 (OA1346 MF)

sidecut (by size):
 102-67-89 (70-90) · 104-67-93 (100-110) ·
 106-67-95 (120-140) · 113-70-99 (150)

radius (by size):
 3 (70) · 4 (80) · 5 (90) ·
 6 (100) · 7 (110) · 8 (120) ·
 10 (130) · 12 (140) · 13 (150)

DIN setting:
 2-7 EPS (7.0 FDT) ·
 0,75-4,5 EPS (4.5 FDT)

system:
 FDT JR RTL S + RS (70-110) ·
 FDT JR RTL L + RS (120-150)

ski construction:
 Composite

camRock:
 On Piste Rocker Profile

RENTAL
READY



**DOBERMANN DH
WC DEPT EDT PLATE**

black / red
0A1202 00 001

sizes:
212 - 218

sidecut (by size):
R&D

radius (by size):
≥50

system:
Speed Plate EDT

ski construction:
Energy 2 TI Worldcup

camRock:
Full Camber Profile

suggested bindings:
X-COMP 24 0C0160 00 001
X-COMP 18 0C0162 00 001



**DOBERMANN SG
WC DEPT EDT PLATE**

black / red
0A1204 00 001

sizes:
185 - 195 - 202 - 205 - 212

sidecut (by size):
R&D

radius (by size):
≥30 (185) · ≥33 (195) · ≥35 (202) ·
≥40 (205) · ≥45 (212)

system:
Speed Plate EDT

ski construction:
Energy 2 TI Worldcup

camRock:
Full Camber Profile

suggested bindings:
X-COMP 24 0C0160 00 001
X-COMP 18 0C0162 00 001



**DOBERMANN
GS WC DEPT PLATE**

black / red
0A1206 00 001

sizes:
188 - 193

sidecut (by size):
R&D

radius (by size):
≥30

system:
Piston Plate

ski construction:
Energy 2 TI Worldcup

camRock:
Full Camber Profile

suggested bindings:
X-COMP 24 0C0160 00 001
X-COMP 18 0C0162 00 001



**DOBERMANN
SL WC DEPT PLATE**

black / red
0A1208 00 001

sizes:
156 - 165

sidecut (by size):
R&D

radius (by size):
R&D

system:
Piston Plate 14mm

ski construction:
Energy 2 TI Worldcup

camRock:
Full Camber Profile

suggested bindings:
X-COMP 24 0C0160 00 001
X-COMP 18 0C0162 00 001

**DOBERMANN
SL WC DEPT M PLATE**

black / red
0A1209 00 001

sizes:
165

sidecut (by size):
R&D

radius (by size):
R&D

system:
Piston Plate 10mm

ski construction:
Energy 2 TI Worldcup

camRock:
Full Camber Profile



**DOBERMANN
SL WC PLATE**

black / red
0A1214 00 001

- sizes:**
156 · 165
- sidecut (by size):**
R&D
- radius (by size):**
R&D
- system:**
Piston Plate
- ski construction:**
Energy 2 TI
- camRock:**
Full Camber Profile
- suggested bindings:**
X-COMP 16 0C0164 00 001
X-COMP 12 0C0166 00 001



**DOBERMANN
GS RACE PLATE**

black / red
0A2218 00 001

- sizes:**
178 · 183 · 188
- sidecut (by size):**
R&D
- radius (by size):**
≥23 (178) · ≥23 (183) ·
≥25 (188)
- system:**
Piston Plate
- ski construction:**
Energy 2 TI
- camRock:**
Full Camber Profile
- suggested bindings:**
X-COMP 16 0C0164 00 001
X-COMP 12 0C0166 00 001



**DOBERMANN
SL RACE PLATE**

black / red
0A1218 00 001

- sizes:**
149
- sidecut (by size):**
112,5-65-97,5
- radius (by size):**
≥12
- system:**
Piston Plate
- ski construction:**
Energy 2 TI
- camRock:**
Full Camber Profile
- suggested bindings:**
X-COMP 12 0C0166 00 001



**DOBERMANN
GSJ PLATE**

black / red
0A1220 00 001

- sizes:**
136 · 143 · 150 ·
157 · 164 · 171
- sidecut (by size):**
103-65-84,5 (136) ·
103,5-65-85 (143) ·
104,5-65-86 (150) ·
104-65-87 (157) ·
105-65-88 (164-171)
- radius (by size):**
≥14 (136) · ≥14 (143) ·
≥14 (150) · ≥17 (157) ·
≥17 (164) · ≥17 (171)
- system:**
Junior Racing Plate New
S (136-150) · L (157-171)
- ski construction:**
Energy 2 TI
- camRock:**
Full Camber Profile
- suggested bindings:**
RACE 10 TCX 0C0172 00 001
RACE 10 0C0168 00 001
RACE 8 0C0170 00 001



**DOBERMANN
SLJ PLATE**

black / red
0A0222 00 001

- sizes:**
121 · 128 · 135 ·
142 · 149
- sidecut (by size):**
105-64-90 (122) ·
109-64-94 (129-136) ·
112-65-97 (143) ·
113-65-98 (150)
- radius (by size):**
≥9 (121) · ≥9 (128) ·
≥10 (135) · ≥10 (142) ·
≥11 (149)
- system:**
Junior Racing Plate New
S (121-135) · L (142-149)
- ski construction:**
Energy 2 TI
- camRock:**
Full Camber Profile
- suggested bindings:**
RACE 10 TCX 0C0172 00 001
RACE 10 0C0168 00 001
RACE 8 0C0170 00 001



**ALLDRIVE
84 FDT**

grey / blue / red
0A1363 SA 001
 TP2 Compact 10 FDT

sizes:
 136 · 142 · 150 · 158 · 166 · 174 · 180

sidecut (by size):
 127-82-105 (136) · 128-82-106 (142) ·
 129-82-107 (150) · 133-84-111 (158) ·
 134-84-112 (166) · 135-84-113 (174) ·
 136-84-114 (180)

radius (by size):
 11 (136) · 12 (142) · 13 (150) ·
 13,5 (158) · 14,5 (166) · 15,5 (174) ·
 16,5 (180)

DIN setting:
 3-10 ML

system:
 FDT Freeride Plate + RS

ski construction:
 Energy CA

camRock:
 All Mountain Rocker Profile



**ALLDRIVE W
82 FDT**

grey / teal
0A1365 SA 002
 TP2 Compact 10 FDT

sizes:
 136 · 142 · 150 · 158 · 166

sidecut (by size):
 127-82-105 (136) · 128-82-106 (142) ·
 129-82-107 (150) · 133-84-111 (158) ·
 134-84-112 (166)

radius (by size):
 11 (136) · 12 (142) · 13 (150) ·
 13,5 (158) · 14,5 (166)

DIN setting:
 3-10 ML

system:
 FDT Freeride Plate + RS

ski construction:
 Energy CA

camRock:
 All Mountain Rocker Profile



**ALLDRIVE
76 FDT**

grey / white / blue
0A1369 SA 001
 TP2 Compact 10 FDT

sizes:
 136 · 142 · 150 · 158 · 166 · 174

sidecut (by size):
 120-76-97 (136) · 121-76-98 (142) ·
 122-76-99 (150) · 124-76-101 (158) ·
 125-76-102 (166) · 126-76-103 (174)

radius (by size):
 11 (136) · 12 (142) · 13 (150) ·
 13,5 (158) · 14,5 (166) · 15,5 (174)

DIN setting:
 3-10 ML

system:
 FDT RTL Plate + RS

ski construction:
 Energy CA

camRock:
 On Piste Rocker Profile



**ALLDRIVE
74 FDT**

grey / red
0A1381 SA 002
 TP2 Compact 10 FDT

sizes:
 138 · 144 · 150 · 156 · 162 · 168 · 174

sidecut (by size):
 117-73-94 (138) · 119-73-96 (144) ·
 121-73-98 (150) · 122,5-73-100 (156) ·
 123,5-73-101 (162) · 124-73-101 (168) ·
 124,5-73-102 (174)

radius (by size):
 11,5 (138) · 12 (144) · 12,5 (150) ·
 13 (156) · 13,7 (162) · 14,6 (168) ·
 15,5 (174)

DIN setting:
 3-10 ML

system:
 FDT RTL Plate + RS

ski construction:
 Composite Wood

camRock:
 On Piste Rocker Profile





**ALLDRIVE W
74 FDT**

grey / white
0A1422 SB 001
TP2 Compact 10 FDT

sizes:
138 · 144 · 150 · 156 · 162 · 168
sidecut (by size):
117-73-94 (138) · 119-73-96 (144) ·
121-73-98 (150) · 122,5-73-100 (156) ·
123,5-73-101 (162) · 124-73-101 (168)
radius (by size):
11,5 (138) · 12 (144) · 12,5 (150) ·
13 (156) · 13,7 (162) · 14,6 (168)

DIN setting:
3-10 ML
system:
FDT RTL Plate + RS
ski construction:
Composite Wood
camRock:
On Piste Rocker Profile



**SPITFIRE
75 R FDT**

red / black
0A2376 SA 001
TP2 Compact 10 FDT

sizes:
138 · 144 · 150 · 156 · 162 · 168 · 174
sidecut (by size):
123-75-103 (144-150) ·
124-75-104 (156-162) ·
125-75-105 (168-174)
radius (by size):
10 (138) · 11 (144) · 12 (150) · 12,5 (156) ·
13,5 (162) · 14,5 (168) · 15,5 (174)

DIN setting:
3-10 ML
system:
FDT Free Demo Plate Short
ski construction:
Composite Wood Partial SW
camRock:
On Piste Rocker Profile



**SPITFIRE
73 R FDT**

blue / black
0A2380 SA 001
TP2 Compact 10 FDT

sizes:
138 · 144 · 150 · 156 · 162 · 168 · 174
sidecut (by size):
117-73-94 (138) · 119-73-96 (144) ·
121-73-98 (150) · 122,5-73-100 (156) ·
123,5-73-101 (162) · 124-73-101 (168) ·
124,5-73-102 (174)
radius (by size):
11,5 (138) · 12 (144) · 12,5 (150) · 13 (156) ·
13,7 (162) · 14,6 (168) · 15,5 (174)

DIN setting:
3-10 ML
system:
FDT RTL Plate + RS
ski construction:
Composite Wood
camRock:
On Piste Rocker Profile



ACCESSORIES / BAGS

made by  **invicta**
★★★★★



**RACE XL GEAR
PACK DOBERMANN**

ON3041 03 741 black / red



**RACE XL JR GEAR
PACK DOBERMANN**

ON3042 03 741 black / red



**RACE XL DUFFLE
ROLLER DOBERMANN**

ON3043 01 741 black / red



**BUSINESS
TROLLEY**

ON3046 02 100 black / red



**PRO
BACKPACK**

ON3052 00 741 black / red



**BOOT BAG
LITE**

ON3037 03 001 black / red



SKI BAG LITE

ON3038 01 741 black / red



SINGLE SKI BAG

ON3017 02 741 black / red



BOOT BACKPACK

ON3015 03 001 black / red



BOOT BAG

ON3014 03 001 black / red



3 PAIR SKI BAG

GS RACE SKI BAG 3 PAIR - ON3034 00 741 black / red
DH RACE SKI BAG 3 PAIR - ON3035 00 741 black / red



DOUBLE ROLLER SKI BAG

ON3018 02 741 black / red



TREND BACKBAG

ON3053 00 741 black / red
* not made by Invicta



12M TRAVEL BAG

ON3048 00 001 black
* not made by Invicta

ACCESSORIES / POLES

made by **KOMPERDELL**



DOBERMANN RACE

black / red
OB0828 01 001



DOBERMANN JR RACE

black / red
OB0830 01 001



ALPINE TI MAN

anthracite / grey
OB0808 00 002



ALPINE TI WOMAN

anthracite / aqua
OB0810 00 002



FREERIDE PRO MAN

black / red
OB0805 01 001



FREERIDE PRO WOMAN

black / teal
OB0805 02 001



FREERIDE UNLIMITED

black / red
OB0840 00 001

made by **FIZAN**



ALPINE PERFORMANCE

red / black
OB0824 00 764 prepack 25



PRIMO UNI

white OB0814 01 001
grey OB0814 01 002



JUNIOR

red / black
OB0818 00 002



JUNIOR GIRL

green / white
OB0820 00 002

ACCESSORIES / SOCKS

made by  INTERSOCKS



DOBERMANN

OW3007 01 001 black



HIGH PERFORMANCE MAN

OW3010 00 741 black / anthracite / red
OW3010 00 821 red / black / anthracite



HIGH PERFORMANCE W

OW3003 00 101 black / anthracite / emerald
OW3003 00 9M3 black / anthracite / purple



SPEEDMACHINE 3

OW3009 00 001 black / red



SOCKS LITE

OW3013 01 001 black / grey
OW3013 01 002 grey / black

NEW



UNLIMITED

OW3014 00 001 black / petrol green
OW3014 00 002 white / teal

NEW



TECH JUNIOR

OW3012 00 N16 black / red
OW3012 00 774 black / anthracite



HF

OW3008 01 001 black / red
OW3008 01 002 grey / anthracite

NEW



UNI 2-PACK

OW3011 02 001 grey / red + black / red
OW3011 02 002 grey / anthracite + black / anthracite

NEW

ACCESSORIES / CLIMBING SKINS

made by  KOHLA
TIROCL



UNLIMITED SKIN

OB2050 00 001 Unlimited 104 skin · OB2051 00 001 Unlimited 94 skin ·
OB2052 00 001 Unlimited 88 skin

made by MARKER



X-COMP 24 OC0160 00 001
X-COMP 18 OC0162 00 001

DIN configuration: 12.0-24.0 (24) - 8.0-18.0 (18)



X-COMP 16 OC0164 00 001
X-COMP 12 OC0166 00 001

DIN configuration: 6.0-16.0 (16) - 4.0-12.0 (12)



RACE 10 TCX
OC0172 00 001

DIN configuration: 3.0-10.0



RACE 10 OC0168 00 001
RACE 8 OC0170 00 001

DIN configuration: 3.0-10.0 (10) - 2.0-8.0 (8)



JESTER 18 PRO ID
OC3217 00 001 (110mm) -
OC3219 00 001 (120mm)

DIN configuration: 8.0-18.0



JESTER 16 ID
OC3216 00 001 (100mm) -
OC3218 00 001 (110mm)

DIN configuration: 6.0-16.0



DEMO READY

GRIFFON 13 TCX D

OC0198 00 001 (90mm) -
OC0200 00 001 (110mm)

DIN configuration: 4.0-13.0



GRIFFON 13 ID

OC0186 00 001 (100mm) - OC0188 00 001
(110mm) - OC0190 00 001 (120mm)

DIN configuration: 4.0-13.0



DEMO READY

GRIFFON 13 D

OC0192 00 001 (90mm) - OC0194 00 001
(100mm) - OC1197 00 001 (110mm)

DIN configuration: 4.0-13.0



DEMO READY

SQUIRE 11 TCX D

OC1206 00 001 (90mm) - OC1204 00 001
(100mm) - OC1205 00 001 (110mm)

DIN configuration: 3.0-11.0



SQUIRE 11

OC1201 00 001 (90mm) - OC1202 00 001
(100mm) - OC1203 00 001 (110mm)

DIN configuration: 3.0-11.0



SQUIRE 10-100 + SCREW KIT

OC3220 00 001

DIN configuration: 3.0-10.0



DUKE PT 16

OC3210 00 001 (100mm)
OC3208 00 001 (125mm)

DIN configuration: 6.0-16.0



DUKE PT 13

OC3214 00 001 (100mm)
OC3212 00 001 (125mm)

DIN configuration: 4.0-13.0



DUKE PT 11

OC3215 00 001 (100mm)
OC3213 00 001 (125mm)

DIN configuration: 3.0-11.0



KINGPIN 13

OC2102 00 001 (75-100mm)
OC2103 00 001 (100-125mm)

DIN configuration: 6.0-13.0



KINGPIN 10

OC2100 00 001 (75-100mm)
OC2101 00 001 (100-125mm)

DIN configuration: 5.0-10.0



CRUISE 12

OC3225 00 001 (90mm) -
OC3224 00 001 (105mm)

DIN configuration: 6.0-12.0



CRUISE 10

OC3226 00 001 (90mm) -

DIN configuration: 4.0-10.0



ALPINIST 12

OC2104 00 001 (w/o brake)
OC2105 00 001 (90mm)

DIN configuration: 6.0-12.0



ALPINIST 10

OC2106 00 001 (w/o brake) -
OC2107 00 001 (90mm)

DIN configuration: 4.0-10.0



ALPINIST 8

OC2108 00 001 (w/o brake) -
OC2109 00 001 (90mm)

DIN configuration: 3.0-8.0



ALPINIST LONG TRAVEL

OC2110 00 001 (12 w/o brake) -
OC2111 00 001 (10 w/o brake) -

DIN configuration: 6.0-12.0




ALPINIST JR. 6

OC3227 00 001

DIN configuration: 2.0-6.0



The LIFE-RecycleYourBoots project has received funding from the LIFE Programme of the European Union.



RECYCLE YOUR BOOTS



find out more

GIVE YOUR OLD SKI BOOTS A SECOND LIFE

WE ARE AT THE BEGINNING OF A NEW WAY OF CONCEIVING THE SKIBOOT LIFE CYCLE. RECYCLE YOUR BOOTS IS NOT THE FINAL ANSWER, NOT YET, BUT IT IS A SITE OF CONSTANT INNOVATION.

PLASTIC WASTE IS A PROBLEM

Recycle Your Boots was born from the consciousness that our society globally is producing an enormous quantity of waste. And that plastic has become a big problem for our planet, literally as big as a continent. When old skiboos reach the end of their usable life, they often end up in a dump or are burned in waste-to-energy plants. We want to make it possible for anyone who wants to get a new pair of skiboos, to return their old ones, from any brand. Nordica will recycle the old pair completely, in a transparent and sustainable process.

Nordica is launching the Recycle Your Boots campaign to make a circular economy the new business model for the ski industry. The collecting and recycling initiative has been adopted by the LIFE programme – the EU's funding instrument for the environment and climate action – and will be effective across eight european countries as early as this winter season.

HOW DOES IT WORK?

WHAT HAPPENS TO YOUR OLD SKI BOOTS WHEN YOU LEAVE THEM IN THE SHOP?

1. COLLECT

Once the ski season is over, collect the old skiboos and place them inside the delivery boxes. Each delivery box should include 5 pairs of skiboos, for logistics reasons.

2. FULFILL RYB FORM

Fulfill the Nordica RYB Form you received via e-mail.

3. BOOK THE PICK UP

In order to organize the pick up, send the fulfilled form via e-mail to FERCAM logistics company.

4. PRINT RYB FORM

Print one copy of the fulfilled form and place it inside one of the delivery boxes.

5. TRANSPORT TO RECYCLING

FERCAM will pick up and deliver the old skiboos as second hand goods to our Selection Center where they will be dismantled.

6. RECYCLE YOUR BOOTS

We recycle them!



FIT FOR THE LONG RUN

NORDICA.COM



8050032030409

Printed in Italy.
December 2022.

Action Pictures

S. Rainer
A. Salini
J. Dash
E. Williams
V. A. Amendolara

Product Pictures

Sartori Group

Design

A. Fornasier
A. Papandrea

Printing

Tipografia Faggionato